# ROPA.WCHYDRO

### **SDE Feature Class**



**Tags** 

aqueduct, watercourse, inlandWaters, fish ladder, Washington State, Washington, hydro, water, pipeline, river, siphon, hydrography, ditch, canal, stream, surface water, Pacific Northwest

### Summary

DNR HYDRO supports many agency programs and mandates and is available to the public. Agency uses include state base maps; landscape analyses and modeling; the Family Forest Fish Passage Program; landslide mapping; the Sustainable Harvest Calculation; fire protection; the Natural Heritage Program; and the Trust Forestland HCP water typing system. DNR HYDRO is also used for Forest Practices water typing. The dataset serves as the Forest Practices Water Type Map. The Forest Practices water typing system is used in the planning and regulation of forest practices on state and private forest land. Forest Practices water types (WAC 222-16-031) are intended for DNR Forest Practices regulatory purposes only.

### Description

The DNR water course (WC), water body (WB), and water shoreline (WS) datasets, collectively known as DNR HYDRO, make up the most up-to-date hydrography layer for the state of Washington. WC represents water courses as arcs or lines. These occur alone as single arcs representing streams, ditches, or pipelines, or as centerlines through water body polygons such as double-banked streams, lakes, impoundments, reservoirs, wet areas, or glaciers. WB represents water bodies as polygonal features. WB includes features such as Puget Sound, lakes, wet areas, reservoirs, impoundments, glaciers, islands, and dams. WS represents shorelines as polygon perimeter arcs. The WC and WBWS are edited daily and simultaneously; updates are posted weekly for internal DNR use and monthly for external use. Attribute interrelationships within the WC and within the WBWS and spatial and attribute interrelationships between the WC and WBWS are maintained. Routes can be built on the WC by using the whole stream identifier (WC\_LLID\_NR). DNR HYDRO is continually updated through the DNR Forest Practices Water Type Modification Form process. DNR HYDRO is mixed scale. The nominal scale is considered 1:24,000, but some data at larger scales are included.

## Credits

There are no credits for this item.

## **Use limitations**

There are no access and use limitations for this item.

# ArcGIS Metadata ▶

# Topics and Keywords ▶

THEMES OR CATEGORIES OF THE RESOURCE inlandWaters

\* CONTENT TYPE Downloadable Data

PLACE KEYWORDS Washington State, Washington, Pacific Northwest

THEME KEYWORDS aqueduct, watercourse, fish ladder, hydro, water, pipeline, river, siphon, hydrography, ditch, canal, stream, surface water

```
THEME KEYWORDS inlandWaters
    THESAURUS
      TITLE ISO 19115 Topic Category
      Hide Thesaurus ▲
  Hide Topics and Keywords ▲
Citation >
  * TITLE ROPA. WCHYDRO
  PRESENTATION FORMATS * digital map
  Hide Citation ▲
Citation Contacts ▶
  RESPONSIBLE PARTY
    ORGANIZATION'S NAME Washington State Department of Natural Resources (DNR)
    CONTACT'S ROLE originator
  Hide Citation Contacts
Resource Details >
  DATASET LANGUAGES English (UNITED STATES)
  DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format
  STATUS completed
  SPATIAL REPRESENTATION TYPE * vector
  SUPPLEMENTAL INFORMATION
     Within DNR, HYDRO is available on ROPA as WCHYDRO, WBHYDRO, and WSHYDRO SDE
     Enterprise Geodatabase Feature Classes. Externally, the data set can be downloaded free of
     charge from the DNR GIS Data Center web page
     http://www.dnr.wa.gov/BusinessPermits/Topics/Data/Pages/gis data center.aspx, click on
     Available GIS Data. Attributes identified by the "FP_" prefix (for example: FP_WTRTY_1975_CD,
     FP_WTRTY_1975_DT, FP_WTRTY_CD, FP_EXP_CD, FP_WTRTY_APPR_DT, etc.) are intended for
     DNR Forest Practices regulatory purposes only. The HYDRO data sets are refreshed weekly.
  * PROCESSING ENVIRONMENT Microsoft Windows Server 2008 R2 Version 6.1 (Build 7601) Service Pack 1;
  ESRI ArcGIS 10.0.5.4400
  ARCGIS ITEM PROPERTIES
    * NAME ROPA.WCHYDRO
    * Location Server= panhead; Service= esri_ropa; User= ropa; Version= SDE. DEFAULT
      * ACCESS PROTOCOL ArcSDE Connection
  Hide Resource Details A
Extents ▶
  EXTENT
    GEOGRAPHIC EXTENT
      BOUNDING RECTANGLE
        EXTENT TYPE Extent used for searching
         * WEST LONGITUDE -124.798319
```

```
* EAST LONGITUDE -116.708499

* NORTH LATITUDE 49.049339

* SOUTH LATITUDE 45.485669

* EXTENT CONTAINS THE RESOURCE YES

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 607662.000000

* EAST LONGITUDE 2551198.000000

* SOUTH LATITUDE 81928.000000

* NORTH LATITUDE 1355595.000000

* EXTENT CONTAINS THE RESOURCE YES
```

Hide Extents A

# **Resource Points of Contact** ▶

```
Point of contact
Individual's name Forest Practices Hydro/Trans Data Steward
Organization's name Washington State Department of Natural Resources, Forest Practices Division
Contact's Position Hydrography and Transportation Data Steward
Contact's Role point of contact

Contact Information
Phone
Voice 360.902.1400
Fax 360.902.1428
```

ADDRESS
TYPE both
DELIVERY POINT 1111 WASHINGTON STREET S.E.
DELIVERY POINT PO BOX 47012
CITY OLYMPIA
ADMINISTRATIVE AREA WA
POSTAL CODE 98504-7012
COUNTRY US
E-MAIL ADDRESS fpd@dnr.wa.gov

Hide Contact information lacktrian

Hide Resource Points of Contact ▲

# Resource Maintenance ▶

RESOURCE MAINTENANCE
UPDATE FREQUENCY weekly

Hide Resource Maintenance ▲

# Resource Constraints >

LEGAL CONSTRAINTS
LIMITATIONS OF USE

This digital data and metadata, (hereinafter collectively referred to as the "information"), are provided on an "AS IS", "AS AVAILABLE" and "WITH ALL FAULTS" basis. Neither Department of Natural Resources nor any of its officials and employees makes any warranty of any kind for this information, express or implied, including but not limited to any warranties of merchantability or fitness for a particular purpose, nor shall the distribution of this information constitute any warranty. The information is collected from various sources and will change over time without notice. DNR and its officials and employees assume no responsibility or legal

liability for the accuracy, completeness, reliability, timeliness, or usefulness of any of the information provided nor do they represent that the use of any of the information will not infringe privately owned rights. The information is not intended to constitute advice nor is it to be used as a substitute for specific advice from a licensed professional. You should not act (or refrain from acting) based upon the information without independently verifying the information and, as necessary, obtaining professional advice regarding your particular facts and circumstances. References to any specific commercial product, process, and service by trade name, trademark, or manufacturer do not constitute or imply endorsement, recommendation, or favoring by DNR and its officials and employees.

#### OTHER CONSTRAINTS

WA ISB, IT Security, Data Category 1 - Public Information (See Security Information). External requests for this data should be directed to the WA DNR GIS Data Center web site (http://www.dnr.wa.gov/BusinessPermits/Topics/Data/Pages/gis data center.aspx).

### SECURITY CONSTRAINTS

CLASSIFICATION SYSTEM WA ISB, Information Technology Security Standards, Policy 401-S4

ADDITIONAL RESTRICTIONS Data Category 1 - Public Information: Public information is information that can be or currently is released to the public. It does not need protection from unauthorized disclosure, but does need integrity and availability protection controls. (Washington State Information Services Board, Information Technology Security Standards, Policy 401-S4, http://isb.wa.gov/policies/401S.doc).

Hide Resource Constraints ▲

# Spatial Reference ▶

```
ARCGIS COORDINATE SYSTEM
```

- \* TYPE Projected
- \* GEOGRAPHIC COORDINATE REFERENCE GCS\_North\_American\_1983\_HARN
- \* PROJECTION NAD 1983 HARN StatePlane Washington South FIPS 4602 Feet
- \* COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

Well-known identifier 2927

X ORIGIN -117498300

Y ORIGIN -98850300

XY SCALE 1000

Z ORIGIN 0

Z SCALE 1

M ORIGIN 0

M SCALE 1

XY TOLERANCE 0.002

Z TOLERANCE 0.001

M TOLERANCE 0.001

HIGH PRECISION true

WELL-KNOWN TEXT PROJCS

["NAD 1983 HARN StatePlane Washington South FIPS 4602 Feet", GEOGCS

["GCS North American 1983 HARN", DATUM["D North American 1983 HARN", SPHEROID

["GRS 1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT

["Degree",0.0174532925199433]],PROJECTION["Lambert\_Conformal\_Conic"],PARAMETER

 $["False\_Easting", 1640416.666666667], PARAMETER ["False\_Northing", 0.0], PARAMETER [$ 

["Central\_Meridian",-120.5],PARAMETER["Standard\_Parallel\_1",45.833333333333333333],PARAMETER

["Standard\_Parallel\_2",47.33333333333333],PARAMETER

["Latitude\_Of\_Origin",45.333333333333333],UNIT["Foot\_US",0.3048006096012192],AUTHORITY ["EPSG",2927]]

## REFERENCE SYSTEM IDENTIFIER

- \* VALUE 2927
- \* CODESPACE EPSG
- \* VERSION 7.4.1

Hide Spatial Reference

# Spatial Data Properties ▶

```
VECTOR >
    * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only
    GEOMETRIC OBJECTS
      FEATURE CLASS NAME ROPA.WCHYDRO
      * OBJECT TYPE composite
      * OBJECT COUNT 0
    Hide Vector ▲
  ARCGIS FEATURE CLASS PROPERTIES >
      * FEATURE TYPE Simple
      * GEOMETRY TYPE Polyline
      * HAS TOPOLOGY FALSE
      * FEATURE COUNT 0
      * SPATIAL INDEX TRUE
      * LINEAR REFERENCING FALSE
    Hide ArcGIS Feature Class Properties ▲
  Hide Spatial Data Properties ▲
Data Quality ▶
  SCOPE OF QUALITY INFORMATION
    RESOURCE LEVEL dataset
    Hide Scope of quality information ▲
  DATA QUALITY REPORT - CONCEPTUAL CONSISTENCY
    MEASURE DESCRIPTION Data refreshed weekly and receives continual spatial and attribute QAQC.
    Hide Data quality report - Conceptual consistency ▲
  DATA QUALITY REPORT - COMPLETENESS OMISSION >
    MEASURE DESCRIPTION Due to the compiliation history of the dataset it has inconsistent stream density
    across the state.
    Hide Data quality report - Completeness omission ▲
  DATA QUALITY REPORT - ABSOLUTE EXTERNAL POSITIONAL ACCURACY
    DIMENSION horizontal
    MEASURE DESCRIPTION National Map Accuracy Standards of +/- 40 feet (12.19 meters).
    Hide Data quality report - Absolute external positional accuracy ▲
  Hide Data Quality ▲
Lineage ▶
  SOURCE DATA
```

DESCRIPTION DNR Washington State Mixed Scale Hydrography Historical Outline: 1987 - 1992 DNR HYDRO initially created from hydrographic features displayed on U.S. Geological Survey (USGS) 1:24,000 scale topographic maps for DNR Forest Practices Division. 1992 - 1994 Photogrammetric compilation of data for forested state, private, and some federal and tribal lands. This compilation was done by township. Where townships contained federal lands and state or private land the entire township was included. 1995 - 1996 Data for all other areas of the state were received in various formats and with differing compilation specifications from federal agencies and processed to produce the "DATA96" dataset. Changes continually accepted into the data set through DNR Forest Practices. 2000 DATA96 split into DNR operational HYDRO which continued to receive edits and a fixed snapshot that became the basis for the Conversion Project. 2003 - 2004 DNR HYDRO Conversion Project. Production and extensive, systematic QAQC to produce new DNR data in the Pacific Northwest Hydrography Framework Clearinghouse (Framework) data model in ESRI coverage format with arc/node topology. 2004 - 2006 Forest Practices Backlog Update Project. Systematic update of DNR HYDRO with backlog of all changes since 2000. 2004 - 2006 Forest Practices Water Typing Project. New Forest Practices Water Typing Classification system implemented. System is based on a multiparameter, field-verified geographic information system (GIS) logistic regression model and modified by field observations as administered by DNR Forest Practices and reviewed by the Timber/Fish/Wildlife Agreement cooperators. The new system became operational for Western Washington on March 1, 2005, and for Eastern Washington on March 1, 2006. PRESENT - Changes continue to be accepted into DNR HYDRO through the DNR Forest Practices Water Type Modification Form (WTMF) process. DNR HYDRO is in ESRI coverage format and is edited in Workstation Arc/Info. See http://www.dnr.wa.gov/BusinessPermits/Topics/ForestPracticesApplications/Pages/fp\_watertyping.aspx

RESOLUTION OF THE SOURCE DATA SCALE DENOMINATOR 0

Hide Source data

Hide Lineage ▲

# Geoprocessing history ▶

## **PROCESS**

DATE 2014-06-20 17:52:23

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\ChangePrivileges

COMMAND ISSUED

ChangePri vi l eges 'Dat abase Connections\esri\_ropa.sde\ROPA. WCHYDRO ropa\_read CRANT # INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

# PROCESS

DATE 2014-06-20 17:52:43

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\ChangePrivileges

COMMAND ISSUED

ChangePrivileges 'Dat abase Connections\esri\_ropa.sde\ROPA. WCHYDRO met adat a GRANT #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## **PROCESS**

DATE 2014-06-20 17:53:00

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\ChangePrivileges

COMMAND ISSUED

ChangePrivileges 'Database Connections\esri\_ropa.sde\ROPA.WCHYDRO' wdfw\_reader CRANT #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### PROCESS

DATE 2014-06-20 17:53:22

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\ChangePrivileges

### COMMAND ISSUED

ChangePrivileges 'Database Connections\esri\_ropa.sde\ROPA.WCHYDRO fpars\_ims GRANT # INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

### **PROCESS**

DATE 2014-06-20 17:53:38

TOOL LOCATION C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\ChangePrivileges

COMMAND ISSUED

ChangePrivileges 'Database Connections\esri\_ropa.sde\ROPA.WCHYDRO sepamaps\_user GRANT #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2014-06-20 18:11:01

 $\label{toollocation} \begin{tabular}{ll} Tool Location & C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append \\ \end{tabular}$ 

**COMMAND ISSUED** 

Append 'Database Connections\esri\_prod\_hydro\_spatial\_dc.sde\HYDRO\_SPATIAL.WCHYDRO\_SV' "Database Connections\esri\_ropa.sde\ROPA.WCHYDRO" TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2014-06-20 18:42:20

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2014-06-20 19:00:50

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2014-06-29 07:55:43

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde\_connect i ons\ropa\_ropa. sde\ ROPA. WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2014-06-29 08:13:43

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## PROCESS

DATE 2014-07-04 22:19:14

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

**COMMAND ISSUED** 

Del et eFeat ur es c:\sde\_connections\ropa\_ropa.sde\ROPA. WCHYDRO

# **PROCESS** DATE 2014-07-04 22:39:42 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND ISSUED Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO TEST # # INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-07-11 22:14:51 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures COMMAND ISSUED Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA. WCHYDRO INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-07-11 22:34:04 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND ISSUED Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # # INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-07-18 22:14:48 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures COMMAND ISSUED Del et eFeat ur es c:\sde connections\ropa ropa. sde\ ROPA. WCHYDRO INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-07-18 22:32:18 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND ISSUED Append c:\sde connections\prod hydro spatial default.sde\HYDRO SPATIAL.WCHYDRO SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # # INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-07-25 22:15:19 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures COMMAND ISSUED Del et eFeat ur es c:\sde connections\ropa ropa. sde\ROPA. WCHYDRO INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-07-25 22:34:02 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND ISSUED Append c:\sde connections\prod hydro spatial default.sde\HYDRO SPATIAL.WCHYDRO SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO TEST # #

## **PROCESS**

```
DATE 2014-08-01 22:14:53
 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\DeleteFeatures
  COMMAND ISSUED
    Del et eFeat ur es c:\sde connections\ropa ropa. sde\ ROPA. WCHYDRO
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2014-08-01 22:33:21
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\Append
 COMMAND ISSUED
    Append c:\sde connections\prod hydro spatial default.sde\HYDRO SPATIAL.WCHYDRO SV
    c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2014-08-08 22:15:56
 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\DeleteFeatures
  COMMAND ISSUED
    Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA. WCHYDRO
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2014-08-08 22:34:44
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\Append
 COMMAND ISSUED
    Append c:\sde_connections\prod_hydro_spatial_default.sde\HYDRO_SPATIAL.WCHYDRO_SV
    c:\sde_connections\ropa_ropa.sde\ROPA.WCHYDRO TEST # #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2014-08-15 22:17:16
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\DeleteFeatures
  COMMAND ISSUED
    Del et eFeat ur es c:\sde_connections\ropa_ropa.sde\ROPA. WCHYDRO
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2014-08-15 22:35:02
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
  Tools.tbx\Append
 COMMAND ISSUED
    Append c:\sde_connections\prod_hydro_spatial_default.sde\HYDRO_SPATIAL.WCHYDRO_SV
    c:\sde_connections\ropa_ropa.sde\ROPA.WCHYDRO TEST # #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2014-08-22 22:14:12
 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\DeleteFeatures
  COMMAND ISSUED
    Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA. WCHYDRO
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2014-08-22 22:31:48
  TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
  Tools.tbx\Append
```

### **COMMAND ISSUED**

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO\_TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2014-08-29 22:13:51

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde\_connections\ropa\_ropa.sde\ROPA. WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2014-08-29 22:31:31

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

**COMMAND ISSUED** 

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO\_TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2014-09-05 22:15:05

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde\_connections\ropa\_ropa.sde\ROPA. WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2014-09-05 22:33:37

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SVc:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO\_TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2014-09-12 22:15:29

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde\_connect i ons\ropa\_ropa. sde\ ROPA. WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2014-09-12 22:33:27

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

# PROCESS

DATE 2014-09-20 13:08:54

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

**COMMAND ISSUED** 

Del et eFeat ur es c:\sde\_connections\ropa\_ropa.sde\ROPA. WCHYDRO

# **PROCESS** DATE 2014-09-20 13:29:23 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append **COMMAND ISSUED** Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO TEST # # INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-09-26 22:14:49 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures COMMAND ISSUED Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA. WCHYDRO INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-09-26 22:32:55 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND ISSUED Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # # INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-10-03 22:21:26 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures COMMAND ISSUED Del et eFeat ur es c:\sde connections\ropa ropa. sde\ ROPA. WCHYDRO INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-10-03 22:40:49 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND ISSUED Append c:\sde connections\prod hydro spatial default.sde\HYDRO SPATIAL.WCHYDRO SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # # INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-10-10 22:20:15 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures COMMAND ISSUED Del et eFeat ur es c:\sde connections\ropa ropa. sde\ROPA. WCHYDRO INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-10-10 22:39:17 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND ISSUED

Append c:\sde connections\prod hydro spatial default.sde\HYDRO SPATIAL.WCHYDRO SV

c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2014-10-17 22:16:42 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures COMMAND ISSUED Del et eFeat ur es c:\sde connections\ropa ropa. sde\ ROPA. WCHYDRO INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-10-17 22:35:59 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND ISSUED Append c:\sde connections\prod hydro spatial default.sde\HYDRO SPATIAL.WCHYDRO SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # # INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-10-24 22:16:00 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures COMMAND ISSUED Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA. WCHYDRO INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-10-24 22:34:32 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND ISSUED Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO TEST # # INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-10-31 22:16:03 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures COMMAND ISSUED Del et eFeat ur es c:\sde\_connections\ropa\_ropa.sde\ROPA. WCHYDRO INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-10-31 22:34:40 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND ISSUED Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO TEST # # INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-11-03 22:15:46 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures COMMAND ISSUED Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA. WCHYDRO INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2014-11-03 22:33:42 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

### **COMMAND ISSUED**

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO\_TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2014-11-07 22:18:07

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde\_connections\ropa\_ropa.sde\ROPA. WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## PROCESS

DATE 2014-11-07 22:36:32

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

**COMMAND ISSUED** 

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO\_TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2014-11-14 22:14:36

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde\_connect i ons\ropa\_ropa. sde\ ROPA. WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2014-11-14 22:33:10

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2014-11-21 22:14:28

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde\_connect i ons\ropa\_ropa. sde\ ROPA. WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2014-11-21 22:32:53

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

# PROCESS

DATE 2014-11-28 22:16:29

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

**COMMAND ISSUED** 

Del et eFeat ur es c:\sde\_connections\ropa\_ropa.sde\ROPA. WCHYDRO

# PROCESS

DATE 2014-11-28 22:35:14

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

**COMMAND ISSUED** 

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2014-12-05 22:14:52

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2014-12-05 22:33:35

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

**COMMAND ISSUED** 

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

#### **PROCESS**

DATE 2014-12-12 22:15:33

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2014-12-12 22:35:03

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2014-12-19 22:26:42

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

**COMMAND ISSUED** 

Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA. WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2014-12-19 22:45:18

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

# **PROCESS**

```
DATE 2014-12-26 22:17:33
 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\DeleteFeatures
  COMMAND ISSUED
    Del et eFeat ur es c:\sde connections\ropa ropa. sde\ ROPA. WCHYDRO
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2014-12-26 22:36:12
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\Append
 COMMAND ISSUED
    Append c:\sde connections\prod hydro spatial default.sde\HYDRO SPATIAL.WCHYDRO SV
    c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2015-01-02 22:18:53
 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\DeleteFeatures
  COMMAND ISSUED
    Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA. WCHYDRO
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2015-01-02 22:37:56
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\Append
 COMMAND ISSUED
    Append c:\sde_connections\prod_hydro_spatial_default.sde\HYDRO_SPATIAL.WCHYDRO_SV
    c:\sde_connections\ropa_ropa.sde\ROPA.WCHYDRO TEST # #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2015-01-09 22:14:54
 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\DeleteFeatures
  COMMAND ISSUED
    Del et eFeat ur es c:\sde_connections\ropa_ropa.sde\ROPA. WCHYDRO
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2015-01-09 22:33:29
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
  Tools.tbx\Append
 COMMAND ISSUED
    Append c:\sde_connections\prod_hydro_spatial_default.sde\HYDRO_SPATIAL.WCHYDRO_SV
    c:\sde_connections\ropa_ropa.sde\ROPA.WCHYDRO TEST # #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2015-01-16 22:15:18
 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\DeleteFeatures
  COMMAND ISSUED
    Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA. WCHYDRO
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2015-01-16 22:33:52
  TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
  Tools.tbx\Append
```

### **COMMAND ISSUED**

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2015-01-23 22:16:21

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management

Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2015-01-23 22:35:11

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

**COMMAND ISSUED** 

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2015-01-30 22:18:36

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde\_connect i ons\ropa\_ropa. sde\ ROPA. WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2015-01-30 22:37:43

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SVc:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO\_TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2015-02-06 22:14:33

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde\_connect i ons\ropa\_ropa. sde\ ROPA. WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2015-02-06 22:32:47

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

# PROCESS

DATE 2015-02-13 22:14:55

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

**COMMAND ISSUED** 

Del et eFeat ur es c:\sde\_connections\ropa\_ropa.sde\ROPA. WCHYDRO

# **PROCESS** DATE 2015-02-13 22:33:38 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append **COMMAND ISSUED** Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # # INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2015-02-20 22:14:40 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures COMMAND ISSUED Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA. WCHYDRO INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2015-02-20 22:33:20 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND ISSUED Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # # INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2015-02-27 22:16:07 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures COMMAND ISSUED Del et eFeat ur es c:\sde connections\ropa ropa. sde\ ROPA. WCHYDRO INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2015-02-27 22:37:59 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND ISSUED Append c:\sde connections\prod hydro spatial default.sde\HYDRO SPATIAL.WCHYDRO SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # # INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS** DATE 2015-03-06 22:16:06 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures COMMAND ISSUED Del et eFeat ur es c:\sde connections\ropa ropa. sde\ROPA. WCHYDRO INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO **PROCESS**

DATE 2015-03-06 22:34:36

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

# **PROCESS**

```
DATE 2015-03-13 22:15:22
 Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\DeleteFeatures
  COMMAND ISSUED
    Del et eFeat ur es c:\sde connections\ropa ropa. sde\ ROPA. WCHYDRO
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2015-03-13 22:34:50
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\Append
 COMMAND ISSUED
    Append c:\sde connections\prod hydro spatial default.sde\HYDRO SPATIAL.WCHYDRO SV
    c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2015-03-20 22:17:17
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\DeleteFeatures
  COMMAND ISSUED
    Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA. WCHYDRO
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2015-03-20 22:37:49
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\Append
 COMMAND ISSUED
    Append c:\sde_connections\prod_hydro_spatial_default.sde\HYDRO_SPATIAL.WCHYDRO_SV
    c:\sde_connections\ropa_ropa.sde\ROPA.WCHYDRO TEST # #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2015-03-27 22:19:15
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\DeleteFeatures
  COMMAND ISSUED
    Del et eFeat ur es c:\sde_connections\ropa_ropa.sde\ROPA. WCHYDRO
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2015-03-27 22:39:19
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
  Tools.tbx\Append
 COMMAND ISSUED
    Append c:\sde_connections\prod_hydro_spatial_default.sde\HYDRO_SPATIAL.WCHYDRO_SV
    c:\sde_connections\ropa_ropa.sde\ROPA.WCHYDRO TEST # #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2015-04-03 22:16:07
 TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
 Tools.tbx\DeleteFeatures
  COMMAND ISSUED
    Del et eFeat ur es c:\sde connections\ropa ropa.sde\ROPA. WCHYDRO
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO
PROCESS
 DATE 2015-04-03 22:36:47
  TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
  Tools.tbx\Append
```

### **COMMAND ISSUED**

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2015-04-10 22:18:46

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

**COMMAND ISSUED** 

Del et eFeat ur es c:\sde\_connect i ons\ropa\_ropa. sde\ ROPA. WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### **PROCESS**

DATE 2015-04-10 22:39:27

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO\_TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

#### **PROCESS**

DATE 2015-04-17 22:15:49

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\DeleteFeatures

COMMAND ISSUED

Del et eFeat ur es c:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2015-04-17 22:36:48

Tool Location C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

Append c:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV c:\sde connections\ropa ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2015-04-25 06:06:37

TOOL LOCATION z:\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\TruncateTable COMMAND ISSUED

Truncat eTable Z:\sde connections\ropa ropa.sde\ROPA. WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

### PROCESS

DATE 2015-04-25 06:49:10

Tool Location z:\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND LSSUED

Append Z:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV Z:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO\_TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## PROCESS

DATE 2015-05-02 06:05:21

Tool Location z:\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\TruncateTable Command Issued

Truncat eTable Z:\sde\_connections\ropa\_ropa.sde\ROPA. WCHYDRO

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

## **PROCESS**

DATE 2015-05-02 06:42:04

Tool Location z:\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\Append COMMAND ISSUED

Append Z:\sde\_connections\prod\_hydro\_spatial\_default.sde\HYDRO\_SPATIAL.WCHYDRO\_SV Z:\sde\_connections\ropa\_ropa.sde\ROPA.WCHYDRO TEST # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA NO

Hide Geoprocessing history ▲

# Distribution >

# DISTRIBUTOR >

ORDERING PROCESS

INSTRUCTIONS

Data set can be downloaded free of charge from the DNR GIS Data Center web page http://www.dnr.wa.gov/BusinessPermits/Topics/Data/Pages/gis\_data\_center.aspx, click on Available GIS Data.

### TRANSFER OPTIONS

ONLINE SOURCE

DESCRIPTION Within DNR the HYDRO data sets are refreshed weekly. The data sets are available on ROPA as WCHYDRO, WBHYDRO, and WSHYDRO feature classes, on /database/covers as WC and WBWS ARC/INFO arc/node topology statewide coverages, and on /database/wrias as arc/node coverages tiled by WRIA. Externally, a zip file containing ARC/INFO export files (.e00) of the WC and WBWS coverages, and metadata is available for download. Data is available for the entire state and/or clipped to each county boundary. Data set can be downloaded free of charge from the DNR GIS Data Center web page

http://www.dnr.wa.gov/BusinessPermits/Topics/Data/Pages/gis\_data\_center.aspx, click on Available GIS Data.

Hide Distributor ▲

## DISTRIBUTION FORMAT

\* NAME SDE Feature Class

Hide Distribution ▲

# Fields ▶

# DETAILS FOR OBJECT ROPA. WCHYDRO

- \* Type Feature Class
- \* Row Count 0

### FIELD OBJECTID ▶

- \* ALIAS OBJECTID
- \* DATA TYPE OID
- \* WIDTH 4
- \* PRECISION 10
- \* SCALE 0

FIELD DESCRIPTION

Internal feature number.

**DESCRIPTION SOURCE** 

**ESRI** 

DESCRIPTION OF VALUES Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID ▲

FIELD WC\_ID ▶

```
* ALIAS WC_ID
  * DATA TYPE Integer
  * WIDTH 4
  * PRECISION 8
  * SCALE 0
  FIELD DESCRIPTION
     A unique, persistent number identifying each record.
  Hide Field WC ID ▲
FIELD SHAPE >
  * ALIAS SHAPE
  * DATA TYPE Geometry
  * WIDTH 4
  * PRECISION 0
  * SCALE 0
  FIELD DESCRIPTION
     Feature geometry.
  DESCRIPTION SOURCE
     ESRI
  DESCRIPTION OF VALUES Coordinates defining the features.
  Hide Field SHAPE ▲
FIELD WC_LLID_NR ▶
  * ALIAS WC_LLID_NR
  * DATA TYPE Double
  * WIDTH 8
  * PRECISION 13
  * SCALE 0
  FIELD DESCRIPTION
```

The watercourse longitude/latitude identifier number (LLID) is a whole stream identifier. The LLID has 13 characters, is unique to each stream from headwaters to confluence. Routes can be built using the LLID. The LLID is based on the position of the downstream point (mouth or confluence) of the watercourse, and is created by concatenating the decimal degreevalues (to four places of precision) of the coordinates (without the decimal points). There is no valid defaultvalue for this field and it must be populated.

```
ACCURACY INFORMATION

ACCURACY See definition

EXPLANATION

See definition

MEASUREMENT FREQUENCY n/a

Hide Field WC_LLID_NR 

FIELD WC_LN_TYPE_LABEL_NM

* ALIAS WC_LN_TYPE_LABEL_NM

* DATA TYPE String

* WIDTH 12

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION
```

Watercourse line type label. Identifies the primary GIS database function of the watercourse line regardless of the hydrographic feature or hydrologic function it may represent.

LIST OF VALUES

# VALUE Artificial

DESCRIPTION Artificial connector. A watercourse line projected for connectivity purposes. For example, a stream not connected by an above-ground channel system to a shoreline or downstream network due to infiltration may be connected to the larger network by segments with WC\_LN\_TYPE\_CD = 5 in order to maintain network connectivity for modeling or future linear referencing purposes. An artificial connector is called a subsurface connector when field information provided on a WTMF specifically describes a stream as being "subsurface". Subsurface connectors shall have WC\_LN\_TYPE\_CD = 5, WC\_CONTU\_CD = 'sub'.

## VALUE Single strm

DESCRIPTION A single line watercourse segment. A natural, well-defined or not-well defined channel produced wholly or in part by a definite flow of water, continuous or intermittent. May include: pipelines, actively maintained irrigation ditches, seasonal streams not physically connected by an above ground channel system to Forest Practices typed water (S, F, or Np), dry-draws, or swales. May be "Trust Forestland HCP Water Typing System" type 5 water. All watercourses represent features that exist on-the-ground.

### VALUE Inter lake

**DESCRIPTION** Watercourse interior line within a polygonal water body (lake or reservoir). An artificial path.

## VALUE Inter stream

DESCRIPTION Watercourse interior line within a double-banked polygonal watercourse (for example, the Columbia River). An artificial path.

### VALUE Perim stream

DESCRIPTION Watercourse segment coincident with a water body perimeter (for example, when a stream shoreline and wet area boundary share the same line). A defined channel.

Hide Field WC LN TYPE LABEL NM ▲

# FIELD WC\_CART\_FTR\_CD ▶

- \* ALIAS WC\_CART\_FTR\_CD
- \* DATA TYPE SmallInteger
- \* WIDTH 2
- \* PRECISION 3
- \* SCALE 0

## FIELD DESCRIPTION

Watercourse cartographic feature code. Identifies the surface water feature that the watercourse line represents. These codes developed initially by the USGS.

## **DESCRIPTION SOURCE**

Derived from the USGS digital line graph (DLG) hydrographic classification code. This is the DNR Hydro WTR.BDY.TY code in pre-Conversion Project (2003) DNR HYDRO.

## LIST OF VALUES

VALUE 100

DESCRIPTION Alkali flat

VALUE 101

DESCRIPTION Reservoir

VALUE 105

DESCRIPTION (NO LONGER USED) Area subject to inundation. This is the area that would be covered by water if the reservoir or impoundment was filled.

VALUE 106

DESCRIPTION Fish hatchery or farm

VALUE 107

**DESCRIPTION** Industrial water impoundment

VALUE 109 DESCRIPTION Sewage disposal pond or filtration bed VALUE 110 DESCRIPTION Tailings pond **VALUE** 111 DESCRIPTION Marsh, wet area, swamp, bog. These generally originated as swamps and marshes scanned from the USGS 1:24,000 topographic maps. Wet areas are not classified by the WAC 222-16-035 wetland typing system; they have no regulatory significance. **VALUE** 114 DESCRIPTION Cranberry bog. In the dataset these are found only near the southwest Washington coast. VALUE 400 DESCRIPTION Rapids VALUE 401 DESCRIPTION Water falls VALUE 402 DESCRIPTION Gravel pit or quarry filled with water VALUE 406 DESCRIPTION (NO LONGER USED) Dam or weir VALUE 407 DESCRIPTION Canal lock or sluice gate **VALUE** 408 DESCRIPTION Spillway VALUE 410 DESCRIPTION Exposed rock **VALUE** 412 DESCRIPTION Stream or river VALUE 414 DESCRIPTION Ditch or canal **VALUE** 415 **DESCRIPTION Aqueduct VALUE** 417 DESCRIPTION Penstock **VALUE** 418 DESCRIPTION Siphon **VALUE** 419 DESCRIPTION Channel in water area **VALUE** 420 DESCRIPTION Wash or ephemeral drain. These flow water only as a result of storm precipitation. **VALUE** 421 DESCRIPTION Lake or pond **VALUE** 422

```
DESCRIPTION (NO LONGER USED) Reef
    VALUE 423
    DESCRIPTION (NO LONGER USED) Sand or gravel in open water
    VALUE 425
    DESCRIPTION (NO LONGER USED) Fish ladder
    VALUE 466
    DESCRIPTION Pier, jetty, breakwater, dock, wharf or causeway
    VALUE 902
    DESCRIPTION (NO LONGER USED) Island (Code is still used in wbhydro)
    VALUE 999
    DESCRIPTION Unknown/Unclassified
    VALUE 103
    DESCRIPTION Glacier or permanent snowfield
    VALUE 115
    DESCRIPTION (NO LONGER USED) Flats (tidal, mud, sand, gravel)
    VALUE 116
    DESCRIPTION (NO LONGER USED) Bay, estuary, gulf, ocean or sea
    VALUE 117
    DESCRIPTION (NO LONGER USED) Shoal
  ACCURACY INFORMATION
    ACCURACY n/a
    EXPLANATION
       n/a
  MEASUREMENT FREQUENCY n/a
 Hide Field WC_CART_FTR_CD ▲
FIELD WC CART FTR LABEL NM >
  * ALIAS WC_CART_FTR_LABEL_NM
  * DATA TYPE String
  * WIDTH 12
  * PRECISION 0
  * SCALE 0
  FIELD DESCRIPTION
     Watercourse cartographic feature code. Identifies the surface water feature that the
     watercourse line represents. These codes developed initially by the USGS.
  LIST OF VALUES
    VALUE Alkali flat
    DESCRIPTION Alkali flat
    VALUE Reservoir
    DESCRIPTION Reservoir
    VALUE Inundation
    DESCRIPTION (NO LONGER USED) Inundation area
    VALUE hatchery
    DESCRIPTION Fish hatchery or farm
```

VALUE Industrial

DESCRIPTION Industrial water impoundment

VALUE Sewage pond

DESCRIPTION Sewage pond or filtration bed

VALUE Tailing pond

DESCRIPTION Tailing pond

VALUE Marsh

DESCRIPTION Marsh, wet area, swamp, bog

VALUE Bog

DESCRIPTION Cranberry bog

VALUE Rapids

DESCRIPTION Rapids

VALUE Falls

**DESCRIPTION** Water Falls

VALUE Flooded pit

DESCRIPTION Gravel pit or quarry filled with water

VALUE Dam/weir

DESCRIPTION (NO LONGER USED) Dam or weir

VALUE Canal/locks

DESCRIPTION Canal lock or sluice gate

VALUE Spillway

DESCRIPTION Spillway

VALUE Exposed rock

DESCRIPTION Exposed rock

VALUE Stream/river

DESCRIPTION Stream or river

VALUE Ditch/canal

DESCRIPTION Ditch or canal

VALUE Aqueduct

**DESCRIPTION Aqueduct** 

VALUE Penstock

DESCRIPTION Penstock

VALUE Siphon

DESCRIPTION Siphon

VALUE Channel

DESCRIPTION Channel in water

VALUE Wash

DESCRIPTION Wash or ephemeral drain

VALUE Lake/pond

DESCRIPTION Lake or pond

VALUE Reef

DESCRIPTION (NO LONGER USED) Reef

```
VALUE Sand/gravel
    DESCRIPTION (NO LONGER USED) Sand or gravel in open water
    VALUE Fish ladder
    DESCRIPTION (NO LONGER USED) Fish ladder
    VALUE Pier/jetty
    DESCRIPTION Pier or jetty
    VALUE Impoundment
    DESCRIPTION Impoundment (non-reservoir)
    VALUE Unknown
    DESCRIPTION Unknown or Unclassified
    VALUE Glacier
    DESCRIPTION Glacier or permanent snowfield
    VALUE Flats
    DESCRIPTION (NO LONGER USED) Flats (tidal, mud, sand, gravel)
    VALUE Bay/estuary
    DESCRIPTION (NO LONGER USED) Bay, estuary, gulf, ocean or sea
    DESCRIPTION (NO LONGER USED) Shoal
 Hide Field WC CART FTR LABEL NM ▲
FIELD WC LN TYPE CD ▶
  * ALIAS WC_LN_TYPE_CD
  * DATA TYPE SmallInteger
  * WIDTH 2
  * PRECISION 2
  * SCALE 0
```

Watercourse line type code. Identifies the primary GIS database function of the watercourse line regardless of the hydrographic feature or hydrologic function it may represent.

## LIST OF VALUES

FIELD DESCRIPTION

VALUE 5

DESCRIPTION Artificial connector used outside water bodies only. A watercourse line projected for connectivity purposes. For example, a stream not connected by an above-ground channel system to a shoreline or downstream network due to infiltration may be connected to the larger network by segments with WC\_LN\_TYPE\_CD = 5 in order to maintain network connectivity for modeling or future linear referencing purposes. An artificial connector is called a subsurface connector when field information provided on a WTMF specifically describes a stream as being 'subsurface'. Subsurface connectors shall have WC\_LN\_TYPE\_CD = 5, WC\_CONTU\_CD = 'sub'.

## VALUE 10

DESCRIPTION A single line watercourse segment; A natural, well-defined or not-well defined channel produced wholly or in part by a definite flow of water, continuous or intermittent. May include: pipelines, actively maintained irrigation ditches, seasonal streams not physically connected by an above ground channel system to Forest Practices typed water (S, F, or Np), dry-draws, or swales. May be 'Trust Forestland HCP Water Typing System' type 5 water. All watercourses represent features that exist on-the-ground

# VALUE 20

DESCRIPTION Watercourse interior line within a polygonal water body (lake or reservoir). An artificial path.

## VALUE 21

DESCRIPTION Watercourse interior line within a double-banked polygonal watercourse (for example, the Columbia River), wet area, impounded wet area, double-banked ditch or pipeline. An artificial path.

## VALUE 30

DESCRIPTION Watercourse segment coincident with a water body perimeter (for example, when a stream shoreline and wet area boundary share the same line). A defined channel.

Hide Field WC\_LN\_TYPE\_CD ▲

## FIELD WC HYDR FTR LABEL NM ▶

- \* ALIAS WC\_HYDR\_FTR\_LABEL\_NM
- \* DATA TYPE String
- \* WIDTH 12
- \* PRECISION 0
- \* SCALE 0

### FIELD DESCRIPTION

Watercourse hydrographic feature label. Identifies the hydrographic category in which the watercourse line belongs.

### LIST OF VALUES

**VALUE** Ditches

DESCRIPTION Ditches, canals, flumes

### VALUE Impoundments

**DESCRIPTION** Impoundments or areas subject to inundation

## VALUE Impound wet

DESCRIPTION Impounded wet areas. In the dataset these are found only near the southwest Washington coast.

## VALUE Lakes/ponds

**DESCRIPTION** Lakes and ponds

# VALUE Pipelines

**DESCRIPTION** Pipelines and water conveyance structures

## VALUE Side channel

DESCRIPTION Side channels to rivers or streams

# VALUE Streams

**DESCRIPTION** Streams and rivers

# VALUE Unknown

DESCRIPTION Unknown or Unclassified

## VALUE Wet areas

DESCRIPTION Wet Area. These generally originated as swamps and marshes scanned from the USGS 1:24,000 topographic maps. Wet areas are not classified by the WAC 222-16-035 wetland typing system; they have no regulatory significance.

Hide Field WC\_HYDR\_FTR\_LABEL\_NM ▲

# FIELD WC\_GNIS\_NM ▶

- \* ALIAS WC\_GNIS\_NM
- \* DATA TYPE String
- \* WIDTH 50
- \* PRECISION 0

\* SCALE 0 INDEXED 1

### FIELD DESCRIPTION

Watercourse Geographic Names Information System (GNIS) name. The name of the represented feature in the USGS GNIS database

(http://geonames.usgs.gov/domestic/index.html). Not all features will have a GNIS name and number, but all features with GNIS names will have GNIS numbers and vice versa. The WC\_GNIS\_NM applies to the surface water feature, often a whole stream. Each arc composing the named feature will have the same GNIS name and number. Names entered into GNIS have been approved by the US Board on Geographic Names. When the Washington State Board on Geographic Names approves a name, the proposal is forwarded on to the US Board for their review. There are rare cases where the WA and US Board disagree, and in that case, the Washington name is not entered into GNIS. DNR is aware of one such disagreement: Crater Glacier (US Board) vs. Tulutson Glacier (WA Board).

Hide Field WC GNIS NM ▲

# FIELD WC FLOW PATH LABEL NM >

- \* ALIAS WC FLOW PATH LABEL NM
- \* DATA TYPE String
- \* WIDTH 12
- \* PRECISION 0
- \* SCALE 0

### FIELD DESCRIPTION

Watercourse flow path label. A classification of the flow pathway within polygonal water body features. Where water body interior lines do not represent defined channels WC\_FLOW\_PATH\_CD = 1 or 2 and WC\_LN\_TYPE\_CD = 20 or 21; these are artificial paths. Where watercourse lines represent defined channels WC\_FLOW\_PATH\_CD = 3 and WC\_LN\_TYPE\_CD = 10 or 30.

## LIST OF VALUES

### VALUE Primary

DESCRIPTION Primary path of a watercourse centerline that flows through a water body as an interior line and artificial path. Represents the flow of water from the main inlet to the main outlet of a polygonal water body.

## **VALUE** Secondary

DESCRIPTION Secondary path of a watercourse that flows through a water body as an interior line and artificial path. The linear path that represent additional flow paths of water, usually from secondary tributaries entering the water body and connecting to the primary path. Also called "laterals".

## VALUE Single line

DESCRIPTION A single line watercourse segment usually representing a defined channel (WC\_LN\_TYPE\_CD = 10 or 30). May flow through a water body with WB\_HYDR\_FTR\_CD = WT (wet area), GL (glacier), etc. May also be a single-line water course artificial connector (WC\_LN\_TYPE\_CD = 5).

Hide Field WC FLOW PATH LABEL NM ▲

# FIELD FP\_WTRTY\_1975\_CD ▶

- \* ALIAS FP WTRTY 1975 CD
- \* DATA TYPE SmallInteger
- \* WIDTH 2
- \* PRECISION 1
- \* SCALE 0

# FIELD DESCRIPTION

Forest Practices water type legacy code. The original water type classifications used in conjunction with DNR Forest Practices regulations between 1975 and (1) March 1, 2005 for Western Washington and (2) March 1, 2006 for Eastern Washington. DNR will neither keep

the FP\_WTRTY\_1975\_CD current nor synchronized with on-going changes to the new water typing system. The new system was implemented March 1, 2005 for Western Washington and March 1, 2006 for Eastern Washington. Generally, the FP\_WTRTY\_1975\_CD and FP\_WTRTY\_1975\_DT fields are not edited under the new water typing system. Neither FP\_WTRTY\_1975\_CD nor FP\_WTRTY\_1975\_DT are edited for new system spatial adds or tabular only database changes. For new system spatial updates these fields are edited only to transfer existing values to an arc that is added as part of a spatial update to an existing stream (a realign). Basically, once the new scheme was turned "on" the FP\_WTRTY\_1975\_CD was frozen. Except as noted above, FP\_WTRTY\_1975\_CD will be blank or 0 for any new arc added since the implementation dates. The water typing system was developed solely for the regulation of forest practices (WAC 222).

### LIST OF VALUES

### VALUE 1

DESCRIPTION All waters, within their ordinary high-water mark, inventoried as "shorelines of the state" under Chapter 90.58 RCW.

## VALUE 2

DESCRIPTION Segments of natural waters which are not classified as Type 1 Water and have a high fish, wildlife or human use (for example, campgrounds).

#### VALUE 3

DESCRIPTION Segments of natural waters which are not classified as Type 1 or Type 2 Waters and have a moderate to slight fish, wildlife, or human use.

### VALUE 4

DESCRIPTION All segments of natural waters within the bankfull width of defined channels that are perennial non-fish habitat streams.

## VALUE 5

DESCRIPTION All segments of natural waters within the bankfull width of defined channels that are not Type 1, 2, 3, or 4 Waters.

### VALUE 9

DESCRIPTION Unclassified water segment.

## VALUE 0

DESCRIPTION Water segment added after implementation of the new habitat based Water Type codes on March 1, 2005 for Western Washington and March 1, 2006 for Eastern Washington.

Hide Field FP\_WTRTY\_1975\_CD ▲

# FIELD WC\_CONTU\_LABEL\_NM ▶

- \* ALIAS WC\_CONTU\_LABEL\_NM
- \* DATA TYPE String
- \* WIDTH 12
- \* PRECISION 0
- \* SCALE 0

## FIELD DESCRIPTION

Watercourse continuity label. This is the classification of stream flow in relation to its expression at the earth's surface. The most common condition is that a stream is continuous. An example of using WC\_CONTU\_CD with WC\_PERIOD\_CD: If areas of perennial, intermittent or ephemeral flow exist along a stream reach they are not separated out; the hydrologist chooses the dominant periodicity and calls the continuity "interrupted". If the reach is not continuously perennial or intermittent it is described as "interrupted". This attribute describes the physical characteristics of a stream. The scale at which the data are captured or displayed may also be a factor to consider.

## LIST OF VALUES

VALUE Continuous

DESCRIPTION Continuous. A channel with no interruptions in space.

VALUE Interrupted

DESCRIPTION Interrupted. A perennial flow with intervening intermittent or ephemeral segments or intermittent flow with intervening ephemeral segments

VALUE Sub-surface

DESCRIPTION Sub-surface. Watercourse reach that represents a sub-surface flow.

VALUE Unknown

**DESCRIPTION** Unknown or Unclassified

Hide Field WC\_CONTU\_LABEL\_NM ▲

## FIELD FP\_WTRTY\_1975\_DT ▶

- \* ALIAS FP WTRTY 1975 DT
- \* DATA TYPE Date
- \* WIDTH 36
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

Forest Practices water type legacy date. The most recent date between 1992 and 11 January 2007 that a water type classification of a stream segment was officially approved by DNR, Forest Practices. DNR will neither keep the FP\_WTRTY\_1975\_DT current nor synchronized with on-going changes to the new water typing system. The new system was implemented March 1, 2005 for Western Washington and March 1, 2006 for Eastern Washington. Generally, the FP\_WTRTY\_1975\_CD and FP\_WTRTY\_1975\_DT fields are not edited under the new water typing system. Neither FP\_WTRTY\_1975\_CD nor FP\_WTRTY\_1975\_DT are edited for new system spatial adds or tabular only database changes. For new system spatial updates these fields are edited ONLY to transfer existing values to an arc that is added as part of a spatial update to an existing stream (a realign). Basically, once the new scheme was turned 'on' the FP\_WTRTY\_1975\_DT was frozen. Except as noted above, FP\_WTRTY\_1975\_DT will be blank or 0 for any new arc added since the implementation dates. The water typing system was developed solely for the regulation of forest practices (WAC 222).

Hide Field FP\_WTRTY\_1975\_DT ▲

## FIELD WC PERIOD LABEL NM ▶

- \* ALIAS WC\_PERIOD\_LABEL\_NM
- \* DATA TYPE String
- \* WIDTH 12
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

Watercourse periodicity code. This is a classification for watercourses in terms of the seasonal behavior of the feature or in terms of its surface flow.

### LIST OF VALUES

VALUE Ephemeral

DESCRIPTION Ephemeral. Watercourse that exist only as a result of storm precipitation.

**VALUE** Intermittent

DESCRIPTION Intermittent or seasonal. Watercourse that is dry during certain times of the year.

Value Perennia

DESCRIPTION Perennial. Watercourse that essentially exist year round

VALUE Unknown

DESCRIPTION Unknown or unclassified. Used when condition information is unknown or unclassified

Hide Field WC\_PERIOD\_LABEL\_NM ▲

## FIELD FP WTRTY EDIT DT

- \* ALIAS FP\_WTRTY\_EDIT\_DT
- \* DATA TYPE Date
- \* WIDTH 36
- \* PRECISION 0
- \* SCALE 0

## FIELD DESCRIPTION

Forest Practices water type edit date. The date the Forest Practices water type was last edited. Used only in conjunction with the water typing system implemented 3/1/2005 western and 3/1/2006 eastern Washington. These are the earliest dates possible for this field for western Washington and eastern Washington. This field will be updated whenever a water type modification form is processed, but not for edits outside of the form. (yet to be determined)

Hide Field FP\_WTRTY\_EDIT\_DT ▲

## FIELD FP WTRTY CD >

- \* ALIAS FP\_WTRTY\_CD
- \* DATA TYPE String
- \* WIDTH 1
- \* PRECISION 0
- \* SCALE 0

## FIELD DESCRIPTION

Forest Practices water type code. DNR Forest Practices water type codes as described in WAC 222-16-031, interim water typing system. This water typing system was implemented in Western Washington March 1, 2005 and in Eastern Washington March 1, 2006. The water type code is based on the Forest Practices Rules, Forest Practices Board Manual Section 13 field surveys, and a multi-parameter, field verified geographic information system (GIS) logistic regression model. The water typing model is based on thousands of field surveys of fish presence and fish habitat. Other model parameters are gradient, elevation, basin size and average annual precipitation derived from the US Geological Survey's digital elevation model (DEM) for the state of Washington. Technical considerations required that the model be developed on a 'virtual' stream network system derived from the DEM database. The DEMbased model results were then transferred to the DNR's hydrographic GIS 'map' (WCHYDRO) (also known as the water type map) in order to implement the new letter water type codes. Qualifying field observations over-ride model results. DNR water types are intended solely for the implementation of the forest practice rules (WAC 222).

## LIST OF VALUES

VALUE S

DESCRIPTION Type S water as defined in WAC 222-16-031 (1).

VALUE F

DESCRIPTION Type F water as defined in WAC 222-16-031 (2) and (3).

## VALUE N

DESCRIPTION Type N water as defined in WAC 222-16-031 (4) and (5). The FP\_WTRTY\_CD (N) combined with the FP\_PERIOD\_CD (p or s) make up the 'Np' and 'Ns' water types. Note that the Np / Ns break is determined by on-the-ground observation only. There has been no direct translation of the former type 4 and 5 to the new types Np and Ns. When a forest practice activity is proposed the applicant must identify the perennial (Np) and seasonal (Ns) streams on their Forest Practice Activity Map.

### VALUE U

DESCRIPTION Letter 'U' indicates that the Forest Practices water type is unknown. May be one of the following: (1) Un-modeled stream that was formerly untyped/unknown (former 'type 9') and remains unverified (FP\_EXP\_CD = U1). Stream may or may not exist on ground, and water type has not been assigned. (2) Reserved for Conversion Project contractor added connectors that are unverified. Cartographic stream link that connects a typed stream or stream network to a

hydrographic source feature. No apparent surface flow; may or may not be a subsurface flow. (FP\_EXP\_CD = U2). (3) Verified stream addition, or confirmation of former untyped/unknown (former 'type 9') mapped stream. Stream exists on ground, but water type has not been assigned. (FP\_EXP\_CD = U3). (4) Outside of modeled area. Classified previously as untyped/unknown (former 'type 9'). (For use in Eastern Washington only; FP\_EXP\_CD = U4).

#### VALUE X

DESCRIPTION Letter 'X' indicates that the feature cannot be assigned a Forest Practices water type. 'X' indicates non-typed water per WAC 222-16-031. One of the following: (1) mapped feature (field verified or verified by other means) not meeting the definition of a typed water as set forth in WAC 222-16-031 and, therefore, having no Forest Practices water type designation. These may include seasonal streams that are not physically connected by an above-ground channel system to Forest Practices type S, F, or Np waters; dry draws; swales; ditches and canals designed solely for irrigation purposes (but not portions of channelized natural streams that may be also used for irrigation purposes) (WC\_LN\_TYPE\_CD = 10); or (2) used to indicate stream deleted from the water type map but remaining in the database to maintain network connectivity (WC\_LN\_TYPE\_CD = 5); or (3) verified subsurface connector (WC\_LN\_TYPE\_CD = 5); or (4) an artificial connector (WC\_LN\_TYPE\_CD = 5).

Hide Field FP WTRTY CD ▲

## FIELD FP PERIOD CD ▶

- \* ALIAS FP PERIOD CD
- \* DATA TYPE String
- \* WIDTH 1
- \* PRECISION 0
- \* SCALE 0

#### FIELD DESCRIPTION

Forest Practices periodicity code. Indicates stream periodicity as defined in WAC 222-16-031 (4) and (5). Used only with the Forest Practices WAC 222-16-031, interim water typing system where FP\_WTRTY\_CD = N. The FP\_WTRTY\_CD (N) combined with the FP\_PERIOD\_CD (p or s) make up the "Np" and "Ns" water types. Note that the Np / Ns break is determined by on-the-ground observation only. There has been no direct translation of the former type 4 and 5 to the new types Np and Ns. When a forest practice activity is proposed the applicant should identify the perennial (Np) and seasonal (Ns) streams on their Forest Practice Activity Map when possible. Np and Ns are shown on the FPARS maps wherever they have been determined. Most FP\_PERIOD\_CD values are "u" (unknown) because the Np / Ns determination has not been made.

## LIST OF VALUES

## VALUE p

DESCRIPTION Perennial. Waters that do not go dry during any time of a year of normal rainfall. This value combined with the FP\_WTRTY\_CD (N) makes up the water type Np. 'p' only shown on the water type map when submitted on a WTMF since the adoption of the letter water type codes. WAC 222-16-031(4) and WAC 222-16-030(3)

## VALUE S

DESCRIPTION Seasonal. Waters where surface flow is not present for at least some portion of a normal year of rain. This value combined with the FP\_WTRTY\_CD (N) make up the water type Ns. 's' only shown on the water type map when submitted on a WTMF since the adoption of the letter water type codes.

# VALUE U

DESCRIPTION Unknown or unclassified.

Hide Field FP\_PERIOD\_CD ▲

## FIELD FP EXP CD ▶

- \* ALIAS FP\_EXP\_CD
- \* DATA TYPE String

- \* WIDTH 2
- \* PRECISION 0
- \* SCALE 0

### FIELD DESCRIPTION

Forest Practices water type explanation code. Explains how each stream segment or hydrographic feature within WCHYDRO has been assigned its current water type (FP\_WTRTY\_CD) value. It is a supplemental Forest Practices Water Type Coding system to be used in conjunction with the FP\_WTRTY\_CD, providing a more in-depth explanation of the assigned water type code of each stream segment and hydrographic feature.

Historical Background. The Forest Practices water typing system is based on a multiparameter, field-verified geographic information system (GIS) logistic regression model and allows for water type changes and modifications by water typing surveys as administered by DNR Forest Practices and reviewed by the Timber/Fish/Wildlife Agreement cooperators. The new system became operational for Western Washington on March 1, 2005, and for Eastern Washington on March 1, 2006. This system uses WAC 222-16-031's S, F, and N water type codes with two additional water type codes assigned to un-typed/unknown waters (U) and other non-typed hydrographic features (X). Not all streams and hydrographic features were typed directly as a result of the modeling process, so the FP\_EXP\_CD was created, in part, to distinguish modeled from non-modeled streams and provide the means to track model performance over time by coding water type changes to modeled streams. It was also created to provide additional information concerning the typing of watercourse features and cartographic elements outside of the model environment.

### LIST OF VALUES

### VALUE F0

DESCRIPTION Artificial interior line segment within a double-banked stream, side channel or ditch (WBHYDRO) polygon, connecting a lateral watercourse to a type F centerline. This segment exists for stream network connectivity purposes and will have a WC\_FLOW\_PATH\_CD = 2 and WC\_LN\_TYP\_CD = 21.

# VALUE F1

DESCRIPTION Modeled as fish habitat, occurring downstream of a modeled end of fish habitat point.

## VALUE F2

DESCRIPTION Un-modeled fish stream. Watercourse existed prior to the "fish model" within the designated model area but match could not be found between this stream segment and DEM-generated stream model. DNR approved field survey data and/or former water type indicates fish use/fish habitat.

# VALUE F3

DESCRIPTION An artificial interior watercourse segment representing the flow of water through a type F lake, pond or reservoir WBHYDRO polygon. Exists for stream network connectivity purposes and will have a WC\_FLOW\_PATH\_CD = 1 or 2 and WC\_LN\_TYP\_CD = 20.

## VALUE F4

DESCRIPTION (NO LONGER IN USE) Mapping anomaly prevented normal model or coding implementation. Former water type indicated 'fish use' or is associated with other fish use/fish habitat waters. Most common occurrences were in channelized streams (e.g. irrigation ditches, canals) or un-modeled streams with former water typing inconsistencies. No longer needed. Post-model water type updates on these features are to be assigned an FP\_EXP\_CD of F2.

## VALUE F5

DESCRIPTION Fish hatchery, public diversion waters or other former type 2 waters as defined by WAC 222-16-031 (2). May or may not have been modeled as fish habitat.

# VALUE F6

DESCRIPTION Fish bearing/fish habitat stream added after water type model implementation.

### VALUE F7

DESCRIPTION Model Override: Approved post 1996 hydro updates from field surveys submitted on

Water Type Modification Forms or other approved field survey data place fish-bearing/fish habitat waters upstream of modeled end of fish habitat point.

### VALUE F8

DESCRIPTION (NO LONGER IN USE) Classified previously as having fish use (e.g. former type 3) outside of designated Forest and Fish modeled area in Eastern Washington only. No longer needed. Post-model water type updates on these features are to be assigned an FP\_EXP\_CD of F2.

#### VALUE NO

DESCRIPTION Artificial interior line within a double-banked stream, side channel or ditch connecting a lateral watercourse to a type N centerline. Exists for stream connectivity purposes and will have a WC\_FLOW\_PATH\_CD = 2 and WC\_LN\_TYP\_CD = 21.

### VALUE N1

**DESCRIPTION** Modeled as non-fish habitat, occurring upstream of a modeled end of fish habitat point.

## VALUE N2

DESCRIPTION Un-modeled non-fish stream. Watercourse existed prior to the "fish model" within the designated model area but match could not be found between this stream segment and DEM-generated stream model. DNR approved field survey data and/or former water type classification indicates non-fish use/non-fish habitat.

## VALUE N3

DESCRIPTION An artificial interior watercourse segment representing the flow of water through a type N lake, pond or reservoir (WBHYDRO) polygon. Exists for stream network connectivity purposes and will have a WC FLOW PATH CD = 1 or 2 and WC LN TYP CD = 20.

### VALUE N4

DESCRIPTION (NO LONGER IN USE) Mapping anomaly prevented normal model/coding implementation. Former water type indicated 'no fish use' or is associated with other non-fish waters. Most common occurrences were in channelized streams (e.g. irrigation ditches, canals) or unmodeled streams with former water typing inconsistencies. No longer needed. Post-model water type updates on these features are to be assigned an FP EXP CD of N2.

### VALUE N5

DESCRIPTION Non-fish bearing/non-fish habitat stream added after model implementation.

### VALUE N6

DESCRIPTION Former untyped/unknown hydrographic stream feature (former 'type 9') occurring upstream of a modeled end point. May or may not have had a matching DEM-modeled stream.

### VALUE N7

DESCRIPTION Model Override: Approved post 1996 survey/hydro update submitted on Water Type Modification Forms or other approved surveys indicate end of fish-bearing/fish habitat waters downstream of modeled end of habitat point.

### VALUE N8

DESCRIPTION (NO LONGER IN USE) Classified previously as having no fish use (former type 4, 5) outside of designated Forest and Fish modeled area in Eastern Washington only. No longer needed. Post-model water type updates on these features are to be assigned an FP\_EXP\_CD of N2.

# VALUE S0

DESCRIPTION Artificial interior line within a double-banked stream, side channel or ditch connecting a lateral watercourse to a type S centerline. Exists for stream network connectivity purposes and will have a WC\_FLOW\_PATH\_CD = 2 and WC\_LN\_TYP\_CD = 21.

### VALUE S1

DESCRIPTION Shorelines of the State as designated by the "Shoreline Management Act" (SMA), Chapter 90.58 RCW.

## VALUE S2

DESCRIPTION Shorelines of Statewide Significance ('S+' Waters) as designated by the Shoreline Management Act (SMA), Chapter 90.58 RCW.

#### VALUE S3

DESCRIPTION An artificial interior watercourse segment representing the flow of water through a type S lake, pond or reservoir (WBHYDRO) polygon. Exists for stream network connectivity purposes and will have a WC\_FLOW\_PATH\_CD = 2 and WC\_LN\_TYP\_CD = 20.

### VALUE U1

DESCRIPTION Non-modeled or un-modeled stream that was formerly untyped/unknown and remains unverified (former 'type 9'). Stream may or may not exist on the ground and water type has not been assigned.

### VALUE U2

DESCRIPTION Cartographic stream link that connects a typed stream or stream network to a hydrographic source feature. Reserved for vendor-added (sewall) surface connectors that remain unverified. May or may not exist on the ground or be a subsurface flow.

### VALUE U3

DESCRIPTION Verified stream addition or confirmation of former untyped/unknown mapped stream (former 'type 9'). Stream exists on ground, but water type has not been assigned.

### VALUE U4

DESCRIPTION Classified previously as untyped/unknown (former 'type 9') outside of designated Forest and Fish modeled area in Eastern Washington only. Stream may or may not exist on the ground and water type has not been assigned. No longer needed. Post-model water type updates on these features are to be assigned an FP\_EXP\_CD of N2.

## VALUE X1

DESCRIPTION Non-typed water per WAC 222-16-031. A mapped feature (field verified or verified by other means) that does not meet the definition of a typed water as set forth in WAC 222-16-031 and, therefore, has no Forest Practices water type designation. These include: 1) seasonal streams that are not located downstream of Np waters and are not physically connected by an above-ground channel system to Forest Practices type S, F, or Np waters. (WC\_LN\_TYP\_CD = 10, 30); 2) dry draws, swales or other ephemeral drains (WC\_LN\_TYP\_CD = 10, 30); Manmade water conveyances not associated with fish use such as pipelines, ditches and canals used for irrigation purposes. (WC\_LN\_TYP\_CD = 10, 21); artificial interior segment within industrial, sewage and tailings pond impoundments (WC\_LN\_TYP\_CD = 20).

### VALUE X2

DESCRIPTION An artificial connector existing on the map to maintain stream connectivity for the following reasons: 1) A previously mapped portion of a watercourse "deleted" from the water type map where no channel is found by surveyors in a limited survey area, but is retained in the database to maintain network connectivity between upstream and downstream watercourses; 2) a link connecting seasonal (e.g. X1 streams) to typed waters downstream, representing flow where no channel is detected by surveyors on the ground where the surface channel ends within ½ mile from typed waters.

## VALUE X3

DESCRIPTION Non-typed water per WAC 222-16-031. A verified subsurface connector (WC\_LN\_TYPE\_CD = 5, WC\_FLOW\_PATH\_CD = 3).

Hide Field FP\_EXP\_CD ▲

# FIELD FP\_WTRTY\_NM ▶

- \* ALIAS FP\_WTRTY\_NM
- \* DATA TYPE String
- \* WIDTH 50
- \* PRECISION 0
- \* SCALE 0

## Hide Field FP\_WTRTY\_NM ▲

## FIELD FP VER CD ▶

- \* ALIAS FP VER CD
- \* DATA TYPE String
- \* WIDTH 1
- \* PRECISION 0
- \* SCALE 0

### FIELD DESCRIPTION

Forest Practices verification code. Identifies the water typing survey method used when assigning a water type to a stream segment. All such surveys are documented by an approved water type modification form (WTMF). For use only with the Forest Practices water typing system. See FP\_WTRTY\_SRC\_DESC for source of water types not assigned by a survey method. FP\_VER\_CD codes 'B', 'P', or 'N' only apply to streams surveyed since 3/1/2005.

### LIST OF VALUES

### VALUE P

DESCRIPTION Water type based upon physical criteria only. This means only the physical characteristics specifically listed in WAC 222-16-031 (3) (b). Waters meeting these listed characteristics are presumed to have fish use. FP\_VER\_CD codes 'B', 'P', or 'N' only apply to streams surveyed since 3/1/2005.

## VALUE B

DESCRIPTION Water type based upon biological assessment. This may be one or more of the following: 1. fish observed, 2. the survey followed the Guidelines for Determining Fish Use (Board Manual, Section 13, Part 4), ie. "protocol", 3. the survey followed the Guidelines for Determining Fish Use (Board Manual, Section 13, Part 6), ie. an "alternative protocol" that was documented prior to the survey was used, 4. as part of an ID Team, a WDFW or tribal biologist agreement with the proposal is documented, 5. If the stream does not meet the minimum pool requirements for a protocol survey (Board Manual, Section 13, Part 4), and this is documented, then the survey is following protocol and is considered a "biological assessment." FP\_VER\_CD codes 'B', 'P', or 'N' only apply to streams surveyed since 3/1/2005.

## VALUE N

DESCRIPTION Water type not verified by either physical criteria or biological assessment. FP VER CD codes 'B', 'P', or 'N' only apply to streams surveyed since 3/1/2005.

## VALUE U

DESCRIPTION Method of water type determination is unknown.

# Hide Field FP\_VER\_CD ▲

# FIELD SL\_WTRTY\_CD ▶

- \* ALIAS SL\_WTRTY\_CD
- \* DATA TYPE SmallInteger
- \* WIDTH 2
- \* PRECISION 1
- \* SCALE 0

### FIELD DESCRIPTION

State Lands water type code. A classification code used to support the DNR State Trust Lands Habitat Conservation Plan (HCP), effective September 1997. See <a href="http://www.dnr.wa.gov/hcp/index.html">http://www.dnr.wa.gov/hcp/index.html</a>. Used in conjunction with the SL\_WTRTY\_EDIT\_DT.

# LIST OF VALUES

### VALUE 1

DESCRIPTION Shorelines of the state. Type 1 water as defined by the DNR State Lands HCP. All waters, within their ordinary high-water mark, as inventoried as "shorelines of the state" under chapter 90.58 RCW.

### VALUE 2

DESCRIPTION Waters with high fish, wildlife, or human use. Type 2 water as defined by the DNR State Lands HCP. Segments of natural waters which are not classified as Type 1 Water and have a high fish, wildlife or human use.

#### VALUE 3

DESCRIPTION Waters with moderate fish, wildlife, or human use. Type 3 water as defined by the DNR State Lands HCP. Segments of natural waters which are not classified as Type 1 or Type 2 Waters and have a moderate to slight fish, wildlife, or human use.

#### VALUE 4

DESCRIPTION Perennial non-fish habitat stream. Type 4 water as defined by the DNR State Lands HCP. All segments of natural waters within the bankfull width of defined channels that are perennial nonfish habitat streams.

#### VALUE 5

DESCRIPTION Seasonal non-fish habitat stream. Type 5 water as defined by the DNR State Lands HCP. All segments of natural waters within the bankfull width of defined channels that are not Type 1, 2, 3, or 4 Waters.

#### VALUE 9

DESCRIPTION Unclassified water feature.

Hide Field SL\_WTRTY\_CD ▲

### FIELD SL WTRTY EDIT DT

- \* ALIAS SL\_WTRTY\_EDIT\_DT
- \* DATA TYPE Date
- \* WIDTH 36
- \* PRECISION 0
- \* SCALE 0

#### FIELD DESCRIPTION

State Lands water type edit date. The date the State Trust Lands Habitat Conservation Plan (HCP) Water Type was last edited. Used in conjunction with the SL WTRTY CD.

Hide Field SL\_WTRTY\_EDIT\_DT ▲

## FIELD FP\_PERIOD\_LABEL\_NM ▶

- \* ALIAS FP\_PERIOD\_LABEL\_NM
- \* DATA TYPE String
- \* WIDTH 12
- \* PRECISION 0
- \* SCALE 0

#### FIELD DESCRIPTION

Forest Practices periodicity label. Indicates stream periodicity as defined in WAC 222-16-031 (4) and (5). Used only with the Forest Practices WAC 222-16-031, interim water typing system where FP\_WTRTY\_CD = N. The FP\_WTRTY\_CD (N) combined with the FP\_PERIOD\_CD (p or s) make up the "Np" and "Ns" water types. Note that the Np / Ns break is determined by on-the-ground observation only. There has been no direct translation of the former type 4 and 5 to the new types Np and Ns. When a forest practice activity is proposed the applicant must identify the perennial (Np) and seasonal (Ns) streams on their Forest Practice Activity Map. Np and Ns are shown on the FPARS maps wherever they have been determined. Most FP\_PERIOD\_CD values are "u" (unknown) because the Np / Ns determination has not been made.

## LIST OF VALUES

## VALUE Perennial

DESCRIPTION Perennial. Waters that do not go dry during any time of a year of normal rainfall. This value combined with the FP\_WTRTY\_CD (N) makes up the water type Np. 'p' only shown on the

water type map when submitted on a WTMF since the adoption of the letter water type codes. WAC 222-16-031(4) and WAC 222-16-030(3)

#### VALUE Seasonal

DESCRIPTION Seasonal. Waters where surface flow is not present for at least some portion of a normal year of rain. This value combined with the FP\_WTRTY\_CD (N) make up the water type Ns. 's' only shown on the water type map when submitted on a WTMF since the adoption of the letter water type codes.

VALUE Unknown

DESCRIPTION Unknown or unclassified.

Hide Field FP\_PERIOD\_LABEL\_NM ▲

## FIELD FP WTRTY APPR DT

- \* ALIAS FP WTRTY APPR DT
- \* DATA TYPE Date
- \* WIDTH 36
- \* PRECISION 0
- \* SCALE 0

#### FIELD DESCRIPTION

Forest Practices approval date. The date of Forest Practices approval of the Water Type Modification Form associated with the stream segment. Water Type Modification Forms are the means by which changes to the database are proposed.

Hide Field FP\_WTRTY\_APPR\_DT ▲

## FIELD FP\_VER\_LABEL\_NM ▶

- \* ALIAS FP\_VER\_LABEL\_NM
- \* DATA TYPE String
- \* WIDTH 12
- \* PRECISION 0
- \* SCALE 0

## FIELD DESCRIPTION

Forest Practices verification label. Identifies the water typing survey method used when assigning a water type to a stream segment. All such surveys are documented by an approved water type modification form (WTMF). For use only with the Forest Practices water typing system. See FP\_WTRTY\_SRC\_DESC for source of water types not assigned by a survey method. FP\_VER\_CD codes 'B', 'P', or 'N' only apply to streams surveyed since 3/1/2005.

### LIST OF VALUES

#### VALUE Physical

DESCRIPTION Water type based upon physical criteria only. This means only the physical characteristics specifically listed in WAC 222-16-031 (3) (b). Waters meeting these listed characteristics are presumed to have fish use. FP\_VER\_CD codes 'B', 'P', or 'N' only apply to streams surveyed since 3/1/2005.

## VALUE Biological

DESCRIPTION Water type based upon biological assessment. This may be one or more of the following: 1. fish observed, 2. the survey followed the Guidelines for Determining Fish Use (Board Manual, Section 13, Part 4), ie. "protocol", 3. the survey followed the Guidelines for Determining Fish Use (Board Manual, Section 13, Part 6), ie. an "alternative protocol" that was documented prior to the survey was used, 4. as part of an ID Team, a WDFW or tribal biologist agreement with the proposal is documented, 5. If the stream does not meet the minimum pool requirements for a protocol survey (Board Manual, Section 13, Part 4), and this is documented, then the survey is following protocol and is considered a "biological assessment." FP\_VER\_CD codes 'B', 'P', or 'N' only apply to streams surveyed since 3/1/2005.

VALUE Not Verified

```
DESCRIPTION Water type not verified by either physical criteria or biological assessment.
    FP VER CD codes 'B', 'P', or 'N' only apply to streams surveyed since 3/1/2005.
    VALUE Unknown
    DESCRIPTION Method of water type determination is unknown.
  Hide Field FP_VER_LABEL_NM ▲
FIELD WC_HYDR_FTR_CD ▶
  * ALIAS WC HYDR FTR CD
  * DATA TYPE String
  * WIDTH 2
  * PRECISION 0
  * SCALE 0
  FIELD DESCRIPTION
     Watercourse hydrographic feature code. Identifies the hydrographic category in which the
     watercourse line belongs.
  LIST OF VALUES
    VALUE DC
    DESCRIPTION Ditches, canals, flumes
    VALUE IM
    DESCRIPTION Impoundments or areas subject to inundation
    VALUE IW
    DESCRIPTION Impounded wet areas. In the dataset these are found only near the southwest
    Washington coast.
    VALUE LA
    DESCRIPTION Lakes and ponds
    VALUE PP
    DESCRIPTION Pipelines and water conveyance structures
    VALUE SC
    DESCRIPTION Side channels to rivers or streams
    VALUE ST
    DESCRIPTION Streams and rivers
    VALUE UN
    DESCRIPTION Unknown or Unclassified
    VALUE WT
    DESCRIPTION Wet Area. These generally originated as swamps and marshes scanned from the
    USGS 1:24,000 topographic maps. Wet areas are not classified by the WAC 222-16-035 wetland
    typing system; they have no regulatory significance.
  Hide Field WC_HYDR_FTR_CD ▲
FIELD WC_FLOW_PATH_CD ▶
  * ALIAS WC_FLOW_PATH_CD
  * DATA TYPE SmallInteger
  * WIDTH 2
  * PRECISION 1
  * SCALE 0
  FIELD DESCRIPTION
     Watercourse flow path code. Used to define the flow pathways of streams and artificial
```

#### LIST OF VALUES

#### VALUE 1

**DESCRIPTION** Primary path of a watercourse centerline that flows through a water body as an interior line and artificial path. Represents the flow of water from the main inlet to the main outlet of a polygonal water body.

#### VALUE 2

DESCRIPTION Secondary path of a watercourse that flows through a water body as an interior line and artificial path. The linear path that represent additional flow paths of water, usually from secondary tributaries entering the water body and connecting to the primary path. Also called "laterals".

#### VALUE 3

DESCRIPTION A single line watercourse segment usually representing a defined channel (WC\_LN\_TYPE\_CD = 10 or 30). May flow through a water body with WB\_HYDR\_FTR\_CD = WT (wet area), GL (glacier), etc. May also be a single-line water course artificial connector (WC\_LN\_TYPE\_CD = 5).

Hide Field WC\_FLOW\_PATH\_CD ▲

## FIELD WC GNIS NR ▶

- \* ALIAS WC GNIS NR
- \* DATA TYPE Integer
- \* WIDTH 4
- \* PRECISION 7
- \* SCALE 0

#### FIELD DESCRIPTION

Watercourse Geographic Names Information System (GNIS) number. The identifier number assigned to each named feature in the USGS GNIS database (http://geonames.usgs.gov/domestic/index.html). This number is used to insert and/or update water body names stored in the framework hydrography database. Not all features will have a GNIS name and number, but all features with GNIS names will have GNIS numbers and vice versa. WC\_GNIS\_NR are unique to each named surface water feature, not to each individual line segment.

Hide Field WC\_GNIS\_NR ▲

### FIELD WC CONTU CD ▶

- \* ALIAS WC\_CONTU\_CD
- \* DATA TYPE String
- \* WIDTH 3
- \* PRECISION 0
- \* SCALE 0

## FIELD DESCRIPTION

Watercourse continuity code. This is the classification of stream flow in relation to its expression at the earth's surface. The most common condition is that a stream is continuous. An example of using WC\_CONTU\_CD with WC\_PERIOD\_CD: If areas of perennial, intermittent or ephemeral flow exist along a stream reach they are not separated out; the hydrologist chooses the dominant periodicity and calls the continuity "interrupted". If the reach is not continuously perennial or intermittent it is described as "interrupted". This attribute describes the physical characteristics of a stream. The scale at which the data are captured or displayed may also be a factor to consider.

#### LIST OF VALUES

VALUE CON

DESCRIPTION Continuous. A channel with no interruptions in space.

## VALUE INT

DESCRIPTION Interrupted. A watercourse with a perennial flow with intervening intermittent or ephemeral segments or intermittent flow with intervening ephemeral segments.

```
VALUE SUB
    DESCRIPTION Sub-surface. Watercourse reach that represents a sub-surface flow.
    VALUE UNK
    DESCRIPTION Unknown or unclassified
 Hide Field WC_CONTU_CD ▲
FIELD FTR MOD LABEL NM >
 * ALIAS FTR_MOD_LABEL_NM
  * DATA TYPE String
  * WIDTH 12
  * PRECISION 0
  * SCALE 0
  FIELD DESCRIPTION
     Feature modification label. Identifies the type of change that occurred to the hydrography
     water shoreline feature. Tracks the type of modification performed on the database.
     Intended to distinguish those features that would be updated in the Framework dataset
     during a transaction if an update process was in place.
  LIST OF VALUES
    VALUE Addition
    DESCRIPTION Addition of spatial feature
    VALUE Deletion
    DESCRIPTION Deletion of existing spatial feature. Documents the historical ID, which maybe
    referenced in an orphaned event row that will have no matching spatial record. (Code value only
    valid with PNW Hydrography Framework Data Model in ESRI Dynamic Segmentation format)
    VALUE Update
    DESCRIPTION Update of existing spatial feature
 Hide Field FTR_MOD_LABEL_NM ▲
FIELD WC PERIOD CD ▶
  * ALIAS WC_PERIOD_CD
  * DATA TYPE String
  * WIDTH 3
  * PRECISION 0
  * SCALE 0
  FIELD DESCRIPTION
     Watercourse periodicity code. This is a classification for watercourses in terms of the
     seasonal behavior of the feature or in terms of its surface flow.
  LIST OF VALUES
    VALUE EPH
    DESCRIPTION Ephemeral. Watercourse that exist only as a result of storm precipitation.
    VALUE INT
    DESCRIPTION Intermittent or seasonal. Watercourse that is dry during certain times of the year.
    VALUE PER
    DESCRIPTION Perennial. Watercourse that essentially exist year round
    VALUE UNK
    DESCRIPTION Unknown or Unclassified. Used when condition information is unknown or unclassified
 Hide Field WC_PERIOD_CD ▲
```

```
FIELD FTR_INPUT_LABEL_NM ▶
  * ALIAS FTR INPUT LABEL NM
  * DATA TYPE String
  * WIDTH 12
  * PRECISION 0
  * SCALE 0
  FIELD DESCRIPTION
     Feature input label. The manner in which the hydrography watercourse data is entered or
     updated in the spatial database. These codes can be found in the associated lookup table.
  LIST OF VALUES
    VALUE Automatic
    DESCRIPTION Automatic via computer software
    VALUE Scan
    DESCRIPTION Scanning
    VALUE Digitize
    DESCRIPTION Tablet digitizing
    VALUE Coord File
    DESCRIPTION Digital spatial or coordinate file
    VALUE Auto
    DESCRIPTION Automatic line tracing
    VALUE Heads-up
    DESCRIPTION Heads-up (on-screen) digitizing
    DESCRIPTION Unknown or unspecified map feature input method
  Hide Field FTR INPUT LABEL NM ▲
FIELD FTR INPUT CD ▶
  * ALIAS FTR INPUT CD
  * DATA TYPE SmallInteger
  * WIDTH 2
  * PRECISION 2
  * SCALE 0
  FIELD DESCRIPTION
     Feature input code. The manner in which the hydrography watercourse data is entered or
     updated in the spatial database. These codes can be found in the associated lookup table.
  LIST OF VALUES
    VALUE 1
    DESCRIPTION Automatic via computer software
    VALUE 2
    DESCRIPTION Scanning
    VALUE 3
    DESCRIPTION Tablet digitizing
    VALUE 4
    DESCRIPTION Digital spatial or coordinate file
    VALUE 5
    DESCRIPTION Automatic line tracing
    VALUE 6
```

```
DESCRIPTION Heads-up (on-screen) digitizing
    VALUE 99
    DESCRIPTION Unknown or unspecified map feature input method
 Hide Field FTR_INPUT_CD ▲
FIELD FTR_INTRP_LABEL_NM ▶
  * ALIAS FTR_INTRP_LABEL_NM
  * DATA TYPE String
  * WIDTH 12
  * PRECISION 0
  * SCALE 0
  FIELD DESCRIPTION
     Feature interpretation label. The methodology used to compose the hydrography
     watercourse information and how it was derived prior to data entry into the spatial coverage
  LIST OF VALUES
    VALUE Photogram
    DESCRIPTION Photogrammetric interpretation
    VALUE GPS
    DESCRIPTION Global Position System (GPS)
    VALUE Photos
    DESCRIPTION Photointerpretation
    VALUE Crenulation
    DESCRIPTION Interpretion of streams from contour crenulation
    VALUE Modeling
    DESCRIPTION Surface flow modeling
    VALUE Transect
    DESCRIPTION Transect along a stream channel
    VALUE Source map
    DESCRIPTION Existing line work on source map
    VALUE Best guess
    DESCRIPTION Stream not directly observable so stream location is estimated
    VALUE Combination
    DESCRIPTION Combination of 3,4,5 and sometimes 8
    VALUE Unspecified
    DESCRIPTION Unspecified/Unknown
 Hide Field FTR_INTRP_LABEL_NM ▲
FIELD FTR_INTRP_CD ▶
  * ALIAS FTR_INTRP_CD
  * DATA TYPE SmallInteger
  * WIDTH 2
  * PRECISION 2
  * SCALE 0
  FIELD DESCRIPTION
     Feature interpretation code. The methodology used to compose the hydrography
     watercourse information and how it was derived prior to data entry into the spatial coverage
```

```
LIST OF VALUES
    VALUE 1
    DESCRIPTION Photogrammetric interpretation
    VALUE 2
    DESCRIPTION Global Position System (GPS)
    VALUE 3
    DESCRIPTION Photo-interpretation
    VALUE 4
    DESCRIPTION Interpretation of streams from contour crenulation
    VALUE 5
    DESCRIPTION Surface flow modeling
    VALUE 6
    DESCRIPTION Transect along a stream channel
    DESCRIPTION Existing line work on source map
    VALUE 8
    DESCRIPTION Stream not directly observable so stream location is estimated
    VALUE 99
    DESCRIPTION Unknown or Unclassified
    VALUE 9
    DESCRIPTION Combination of 3, 4, 5, and sometimes 8.
 Hide Field FTR_INTRP_CD ▲
FIELD FTR_SRC_LABEL_NM ▶
  * ALIAS FTR_SRC_LABEL_NM
  * DATA TYPE String
  * WIDTH 12
  * PRECISION 0
  * SCALE 0
  FIELD DESCRIPTION
     Feature source label. The compilation map or image source used when adding or updating
     hydrography data.
  LIST OF VALUES
    VALUE USGS Map
    DESCRIPTION USGS Topographic Map
    VALUE Orthophoto
    DESCRIPTION Orthophotography
    VALUE Aerial photo
    DESCRIPTION Aerial Photograph
    VALUE MSS Imagery
    DESCRIPTION Multi-Spectral Satellite Imagery
    VALUE Field Survey
    DESCRIPTION Field Survey of on the ground observation
    VALUE County/City
    DESCRIPTION County or City Planning Map
```

```
VALUE Field Map
    DESCRIPTION Field Map
    VALUE DEM
    DESCRIPTION Digital Elevation Model (DEM)
    VALUE Radar Image
    DESCRIPTION Radar Imagery
    VALUE Laser Image
    DESCRIPTION Laser Imagery
    VALUE CFF
    DESCRIPTION Cartographic Feature File (CFF)
    VALUE NWI Map
    DESCRIPTION National Wetlands Inventory (NWI) Map
    VALUE Imagery
    DESCRIPTION Imagery - Unspecified Source
    VALUE Combination
    DESCRIPTION Combination of Lidar and Photo
    VALUE NED/Photo
    DESCRIPTION NED/Photo
    VALUE Interpret
    DESCRIPTION Intuitive Interpretation
    VALUE Unknown
    DESCRIPTION Unknown or Unclassified
 Hide Field FTR SRC LABEL NM ▲
FIELD FTR_SRC_CD ▶
  * ALIAS FTR_SRC_CD
  * DATA TYPE SmallInteger
  * WIDTH 2
  * PRECISION 2
  * SCALE 0
  FIELD DESCRIPTION
     Feature source code. The compilation map or image source used when adding or updating
     hydrography data.
  LIST OF VALUES
    VALUE 1
    DESCRIPTION USGS Topographic Map
    VALUE 2
    DESCRIPTION Orthophotography
    VALUE 3
    DESCRIPTION Aerial Photograph
    VALUE 4
    DESCRIPTION Multi-Spectral Satellite Imagery
    VALUE 5
    DESCRIPTION Field survey or on-the-ground observation
```

```
VALUE 6
    DESCRIPTION Planning Map
    VALUE 7
    DESCRIPTION Field Map, Forest Practices Water Type Map
    VALUE 8
    DESCRIPTION Digital Elevation Model (DEM), NED
    VALUE 9
    DESCRIPTION Radar Imagery
    VALUE 10
    DESCRIPTION Laser Imagery, LiDAR
    VALUE 11
    DESCRIPTION Cartographic Feature File (CFF)
    VALUE 12
    DESCRIPTION National Wetlands Inventory (NWI) Map
    VALUE 13
    DESCRIPTION Imagery - Unspecified
    VALUE 99
    DESCRIPTION Unknown or Unclassified
    VALUE 15
    DESCRIPTION Combination of LiDAR and orthophoto
    VALUE 16
    DESCRIPTION Combination of NED and orthophoto
    VALUE 17
    DESCRIPTION Intuitive interpretation
 Hide Field FTR_SRC_CD ▲
FIELD FTR SRC DT
  * ALIAS FTR SRC DT
  * DATA TYPE Date
  * WIDTH 36
  * PRECISION 0
```

\* SCALE 0

FIELD DESCRIPTION

Feature source date. The date of the compilation map or image source used when adding or updating hydrography data. January 1, 1753 is used when source date is unknown or unavailable. If the source year is known, but month and date are unknown then January 1 is used as a default.

Hide Field FTR\_SRC\_DT ▲

# FIELD FTR\_SRCSCALE\_CD ▶ \* ALIAS FTR\_SRCSCALE\_CD

- \* DATA TYPE Integer
- \* WIDTH 4
- \* PRECISION 5
- \* SCALE 0

FIELD DESCRIPTION

#### Feature source scale code.

```
LIST OF VALUES
    VALUE 0
    DESCRIPTION Scale of data source is unknown
    VALUE 4800
    DESCRIPTION Scale of data source is 1:4,800
    VALUE 12000
    DESCRIPTION Scale of data source is 1:12,000
    VALUE 24000
    DESCRIPTION Scale of data source is 1:24,000
  Hide Field FTR_SRCSCALE_CD ▲
FIELD FTR_ORG_CD ▶
  * ALIAS FTR_ORG_CD
  * DATA TYPE String
  * WIDTH 12
  * PRECISION 0
  * SCALE 0
  FIELD DESCRIPTION
```

Feature organization code. The organization that compiled, entered, updated or deleted the hydrography watercourse data. This list will grow as new organizations begin to add or update information and are certified by the clearinghouse. Contact the Clearinghouse Manager will maintain a list of organizations. All additions or corrections should be submitted to the Clearinghouse Manager.

```
LIST OF VALUES
  VALUE BCMELP
  DESCRIPTION British Columbia Ministry of Environment, Lands and Parks
  VALUE CoClrkWa
  DESCRIPTION Clark County, WA
  VALUE CoKingWa
  DESCRIPTION King County, WA
  VALUE CoPierWa
  DESCRIPTION Pierce County, WA
  VALUE CoSnohWa
  DESCRIPTION Snohomish County, WA
  VALUE CoSpokWa
  DESCRIPTION Spokane County, WA
  VALUE CoThursWa
  DESCRIPTION Thurston County, WA
  VALUE CoYakWa
  DESCRIPTION Yakima County, WA
  VALUE CtySeaWa
  DESCRIPTION City of Seattle, WA
```

VALUE CtyOlyWa

DESCRIPTION City of Olympia, WA

VALUE CtyVanWa

DESCRIPTION City of Vancouver, WA

VALUE IRICC

DESCRIPTION Intergovernmental Resource Information Coordinating Council

VALUE LVWFbr

**DESCRIPTION** Longview Fiber Company

VALUE NMFS

**DESCRIPTION** National Marine Fisheries Service

VALUE NRCS

**DESCRIPTION** Natural Resources Conservation Service

VALUE NWIFC

**DESCRIPTION** Northwest Indian Fisheries Commission

VALUE OrDEQ

DESCRIPTION OR Dept. of Environmental Quality

VALUE PSRC

DESCRIPTION Puget Sound Regional Council

VALUE Raynr

**DESCRIPTION** Rayonier Timber Company

VALUE Smpsn

**DESCRIPTION** Simpson Timber Company

VALUE USACE

DESCRIPTION U.S. Army Corps of Engineers

VALUE USBLM

DESCRIPTION U.S. Bureau of Land Management

VALUE USBOR

DESCRIPTION U.S. Bureau of Reclamation

VALUE USBPA

DESCRIPTION U.S. Bonneville Power Administration

VALUE USEPA

DESCRIPTION U.S. Environmental Protection Agency

VALUE USEPA-r10

DESCRIPTION U.S. Environmental Protection Agency - Region 10

VALUE USFS

DESCRIPTION U.S. Forest Service

VALUE USFS-Oly

DESCRIPTION U.S. Forest Service - Olympic

VALUE USFWS

DESCRIPTION U.S. Fish and Wildlife Service

VALUE USGS

DESCRIPTION U.S. Geological Survey

VALUE USGS-NMD

DESCRIPTION U.S. Geological Survey - National Mapping Division

VALUE USNPS

DESCRIPTION U.S. National Park Service

VALUE WaDFW

**DESCRIPTION** Washington Department of Fish and Wildlife

VALUE WaDNR

**DESCRIPTION** Washington State Department of Natural Resources

VALUE WaDOT

**DESCRIPTION** Washington Department of Transportation

VALUE WaECY

DESCRIPTION Washington Department of Ecology

VALUE Weyhsr

**DESCRIPTION** Weyerhaeuser Company

VALUE Sewall

DESCRIPTION James W. Sewall Company, Old Town, ME. Sewall is the conversion project vendor (2003-2004).

VALUE CoClalWa

DESCRIPTION Clallam County, Washington

VALUE WildFishCons

**DESCRIPTION** Wild Fish Conservancy

VALUE CtySpokWa

DESCRIPTION city of Spokane

Hide Field FTR\_ORG\_CD ▲

## FIELD SL\_WTRTY\_LABEL\_NM ▶

- \* ALIAS SL\_WTRTY\_LABEL\_NM
- \* DATA TYPE String
- \* WIDTH 12
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

State Lands water type label. A classification code used to support the DNR State Trust Lands Habitat Conservation Plan (HCP), effective September 1997. See <a href="http://www.dnr.wa.gov/hcp/index.html">http://www.dnr.wa.gov/hcp/index.html</a>. Used in conjunction with the SL\_WTRTY\_EDIT\_DT.

## LIST OF VALUES

VALUE Type 1

DESCRIPTION Shorelines of the state. Type 1 water as defined by the DNR State Lands HCP. All waters, within their ordinary high-water mark, as inventoried as "shorelines of the state" under chapter 90.58 RCW.

VALUE Type 2

DESCRIPTION Waters with high fish, wildlife, or human use. Type 2 water as defined by the DNR State Lands HCP. Segments of natural waters which are not classified as Type 1 Water and have a high fish, wildlife or human use.

VALUE Type 3

DESCRIPTION Waters with moderate fish, wildlife, or human use. Type 3 water as defined by the DNR State Lands HCP. Segments of natural waters which are not classified as Type 1 or Type 2 Waters and have a moderate to slight fish, wildlife, or human use.

VALUE Type 4

DESCRIPTION Perennial non-fish habitat stream. Type 4 water as defined by the DNR State Lands HCP. All segments of natural waters within the bankfull width of defined channels that are perennial nonfish habitat streams.

VALUE Type 5

DESCRIPTION Seasonal non-fish habitat stream. Type 5 water as defined by the DNR State Lands HCP. All segments of natural waters within the bankfull width of defined channels that are not Type 1, 2, 3, or 4 Waters.

VALUE Type 9

DESCRIPTION Unclassified water feature.

Hide Field SL\_WTRTY\_LABEL\_NM ▲

## FIELD FP REF ID ▶

- \* ALIAS FP REF ID
- \* DATA TYPE String
- \* WIDTH 10
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

Forest Practices Reference Identification number. Jurisdiction Reference Number. Used as the water type modification form (WTMF) document number. This is the tracking number used to uniquely identify WTMF entered into the database since the Fall of 2000. WTMF are the means by which changes to the DNR HYDRO GIS database (also known as the water type map) are proposed. There has been an approved water type modification form (WTMF) if FP\_REF\_ID has avalue in one of the following three formats: FP\_REF\_ID = '0000WW1234' where 0000 is a placeholder in the database, WW is two digit WRIA#, and 1234 is sequential number. This format used Fall 2000 to Spring 2008. (2) FP\_REF\_ID = 'RRWWYY1234' where RR is two letter Jurisdiction abbreviation, WW is two digit WRIA#, YY is two digit year, and 1234 is sequential number (starting at 0001 at start of each year). This is the Jurisdiction Reference Number which is assigned to all WTMF beginning Spring 2008. (3) If FP\_REF\_ID is in format '0000WW0000' or there is novalue, then there is no WTMF and has been no water typing survey or hydro update unless FP\_WTRTY\_1975\_DT is greater than 1992.

Hide Field FP\_REF\_ID ▲

# FIELD DNR\_OUTPUT\_SCL\_CD ▶

- \* ALIAS DNR OUTPUT SCL CD
- \* DATA TYPE Integer
- \* WIDTH 4
- \* PRECISION 6
- \* SCALE 0

FIELD DESCRIPTION

DNR Output scale code. This attribute may be used as a visual, cartographic tool to display an appropriate 'density' of linework at a given map scale. Due to the compilation history of DNR HYDRO it has inconsistent stream density across the state; it is 'mixed-scale'. For example, if creating a map at a scale of 1:100,000 the data that are appropriate to display at 1:24,000 map scale may appear too dense and therefore the map may not be legible. Some features included are too small to display at a scale smaller than 1:24,000. This attribute uses the scale denominator to indicate the largest scale at which the feature should be displayed. Select allvalues to display all data. Select 24000, 100000, and 750000 to display data appropriate for 1:24,000 map scale. Select 100000 and 750000 to display data appropriate for 1:750,000 map scale.

LIST OF VALUES

**VALUE 24000** 

DESCRIPTION Data appropriate to display at 1:24,000 scale

VALUE 100000

DESCRIPTION Data appropriate to display at 1:100,000 scale

VALUE 750000

DESCRIPTION Data appropriate to display at 1:750,000 scale

Hide Field DNR\_OUTPUT\_SCL\_CD ▲

## FIELD FP WTRTY SRC DESC >

- \* ALIAS FP\_WTRTY\_SRC\_DESC
- \* DATA TYPE String
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

Forest Practices water type source description. Programmatically derived identification of the source of the Forest Practices water type code (FP\_WTRTY\_CD). See "binary enclosures" below for trigger code. Code applied on transfer to ROPA.

#### LIST OF VALUES

VALUE WTMF

DESCRIPTION Water typing survey. A Water Type Modification Form (WTMF) has been entered into the database since 1/1/1997. For a finer classification of surveys since March 1, 2005 (western Washington) and/or March 1, 2006 (eastern Washington) see FP\_VER\_CD. If a surveyed stream segment is associated with a model override, then the segment will show OVERRIDE rather than WTMF. If there is a FP\_REF\_ID on the segment, then the segment was surveyed.

#### VALUE MODEL

DESCRIPTION The water type was assigned by the Fish Habitat Water Typing Model; there has been no water typing survey recorded in the database since 1/1/1997.

## VALUE OVERRIDE

DESCRIPTION The model assigned type was overridden by a qualifying water typing survey. This falls into two categories: (1) Either modeled N was overridden to become F because waters downstream of a known fish location are assumed to have fish use (Board Manual Section 13, Part 4), or (2) a modeled F was overridden to become N because a survey established the F/N break downstream. If a record has an FP\_REF\_ID, then the override is due to the survey. If there is no FP\_REF\_ID, then the override is up or downstream of the survey. For this reason there will be surveyed stream segments with OVERRIDE rather than WTMF.

### VALUE LEGACY

DESCRIPTION Streams not modeled inherited their water type from the water typing system prior to the model - either from an older water typing survey or from the Water Type Map prior to the creation of the GIS database. For older water typing surveys: A survey may have been conducted, using protocols in place at the time, between 1992 and Fall 2000 if the following are true: 1. FP\_WTRTY\_SRC\_DESC = "LEGACY", and 2. FP\_WTRTY\_1975\_DT greater than 1/1/1992 and less than approximately 11/1/2000, and 3. FP\_WTRTY\_1975\_CD not equal to 9.

VALUE blank

DESCRIPTION No value is assigned to water bodies to reduce map clutter.

Hide Field FP\_WTRTY\_SRC\_DESC ▲

## FIELD PDF LOCATION ▶

- \* ALIAS PDF\_LOCATION
- \* DATA TYPE String
- \* WIDTH 62
- \* PRECISION 0
- \* SCALE 0

### FIELD DESCRIPTION

PDF Location Hyperlink. A hyperlink field with url to the location of the PDF of completed Water Type Modification Form (WTMF). Hyperlinks function within DNR only.

Hide Field PDF\_LOCATION ▲

## FIELD EDIT\_NM\_CD ▶

- \* ALIAS EDIT NM CD
- \* DATA TYPE String
- \* WIDTH **7**
- \* PRECISION 0
- \* SCALE 0

#### FIELD DESCRIPTION

Editor name code. Internal DNR user identification code. Identifies which DNR employee last edited the database spatial and/or tabular record. For internal DNR use only.

Hide Field EDIT\_NM\_CD ▲

### FIELD EDIT DT

- \* ALIAS EDIT\_DT
- \* DATA TYPE Date
- \* WIDTH 36
- \* PRECISION 0
- \* SCALE 0

#### FIELD DESCRIPTION

Edit date. The date of the last edit either to the linework, or to the attributes

Hide Field EDIT\_DT ▲

## FIELD WC\_SUBTYPE\_CD ▶

- \* ALIAS WC\_SUBTYPE\_CD
- \* DATA TYPE SmallInteger
- \* WIDTH 2
- \* PRECISION 4
- \* SCALE 0

#### FIELD DESCRIPTION

Water course subtype code. A number representing a category of water features containing a specific set of parameters. For example, all water features of subtype 1001 have a WC\_HYDR\_FTR\_CD = ST, WC\_CART\_FTR\_CD = 412, WC\_LN\_TYPE\_CD = 10, and WC\_FLOW\_PATH\_CD = 3. These categories or subtypes are based on physical characteristics or for GIS representation requirements.

#### LIST OF VALUES

VALUE 501

**DESCRIPTION** Artificial stream

**VALUE** 1001

**DESCRIPTION Stream** 

**VALUE** 1002

DESCRIPTION Side channel

**VALUE** 1003

DESCRIPTION Ditch, canal, flume

**VALUE** 1004

DESCRIPTION Pipeline

**VALUE** 2001

DESCRIPTION Lake interior line

```
VALUE 2002
    DESCRIPTION Impoundment - int. line
    VALUE 2003
    DESCRIPTION Fish hatchery int. line
    VALUE 2004
    DESCRIPTION Alkali flat - int. line
    VALUE 2101
    DESCRIPTION Double-banked stream interior line
    VALUE 2102
    DESCRIPTION Double-banked side channel interior line
    VALUE 2103
    DESCRIPTION Double-banked ditch interior line
    VALUE 2104
    DESCRIPTION Double-banked pipeline interior line
    VALUE 2105
    DESCRIPTION Reservoir - interior line
    VALUE 2106
    DESCRIPTION Wet area interior line
    VALUE 2107
    DESCRIPTION Impounded wet area interior line
    VALUE 3001
    DESCRIPTION Perimeter stream
    VALUE 3002
    DESCRIPTION Perimeter side channel
    VALUE 3003
    DESCRIPTION Perimeter ditch
    VALUE 9001
    DESCRIPTION Miscellaneous watercourse
 Hide Field WC_SUBTYPE_CD ▲
FIELD WC SUBTYPE LABEL NM >
 * ALIAS WC_SUBTYPE_LABEL_NM
  * DATA TYPE String
  * WIDTH 12
  * PRECISION 0
  * SCALE 0
     Water course subtype label. A label representing a category of water features containing a
     specific set of parameters. For example, all water features of subtype 1001 have a
     WC_HYDR_FTR_CD = ST, WC_CART_FTR_CD = 412, WC_LN_TYPE_CD = 10, and
     WC_FLOW_PATH_CD = 3. These categories or subtypes are based on physical
     characteristics or for GIS representation requirements.
  LIST OF VALUES
    VALUE Artificial
    DESCRIPTION Artificial stream
```

```
VALUE Stream
  DESCRIPTION Stream
  VALUE Side channel
  DESCRIPTION Side channel
  VALUE Ditch/canal
  DESCRIPTION Ditch, canal, flume
  VALUE Pipeline
  DESCRIPTION Pipeline
  VALUE Lake-inter
  DESCRIPTION Lake interior line
  VALUE Imp-interior
  DESCRIPTION Impoundment - int. line
  VALUE Hatchery int
  DESCRIPTION Fish hatchery int. line
  VALUE Alk flt-int
  DESCRIPTION Alkali flat - int. line
  VALUE Dbl bnk-int
  DESCRIPTION Double-banked stream interior line
  VALUE Db sc-int
  DESCRIPTION Double-banked side channel interior line
  VALUE Db dc-int
  DESCRIPTION Double-banked ditch interior line
  VALUE Db pp-int
  DESCRIPTION Double-banked pipeline interior line
  VALUE Res-interior
  DESCRIPTION Reservoir - interior line
  VALUE Wet area-int
  DESCRIPTION Wet area interior line
  VALUE Imp wt-int
  DESCRIPTION Impounded wet area interior line
  VALUE Perim stream
  DESCRIPTION Perimeter stream
  VALUE Perim sc
  DESCRIPTION Perimeter side channel
  VALUE Perim dc
  DESCRIPTION Perimeter ditch
  VALUE Misc stream
  DESCRIPTION Miscellaneous watercourse
Hide Field WC_SUBTYPE_LABEL_NM ▲
```

FIELD FTR\_MOD\_CD ▶

```
* ALIAS FTR_MOD_CD
      * DATA TYPE String
      * WIDTH 3
      * PRECISION 0
      * SCALE 0
      FIELD DESCRIPTION
          Feature modification code. Identifies the type of change that occurred to the water feature.
      LIST OF VALUES
        VALUE ADD
        DESCRIPTION Addition of spatial feature
        VALUE DEL
        DESCRIPTION Deletion of existing spatial feature. Documents the historical ID, which maybe
        referenced in an orphaned event row that will have no matching spatial record. (Code value only
        valid with PNW Hydrography Framework Data Model in ESRI Dynamic Segmentation format)
        VALUE UPD
        DESCRIPTION Update of existing spatial feature
      Hide Field FTR MOD CD ▲
    FIELD SHAPE.LEN ▶
      * ALIAS SHAPE.LEN
      * DATA TYPE Double
      * WIDTH 0
      * PRECISION 0
      * SCALE 0
      Hide Field SHAPE.LEN ▲
   Hide Details for object ROPA. WCHYDRO ▲
  Hide Fields ▲
Metadata Details ▶
  METADATA LANGUAGE English (UNITED STATES)
  METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format
  SCOPE OF THE DATA DESCRIBED BY THE METADATA dataset
  SCOPE NAME * dataset
  * LAST UPDATE 2014-06-20
  ARCGIS METADATA PROPERTIES
    METADATA FORMAT ArcGIS 1.0
    METADATA STYLE FGDC CSDGM Metadata
    CREATED IN ARCGIS FOR THE ITEM 2014-06-20 17:52:23
    LAST MODIFIED IN ARCGIS FOR THE ITEM 2014-06-20 18:14:52
    AUTOMATIC UPDATES
      HAVE BEEN PERFORMED Yes
```

Hide Metadata Details 🛦

LAST UPDATE 2014-06-20 17:54:33

# Metadata Contacts ▶

```
METADATA CONTACT
     INDIVIDUAL'S NAME Forest Practices Hydro/Trans Data Steward
      ORGANIZATION'S NAME Washington State Department of Natural Resources, Forest Practices Division
      CONTACT'S POSITION Hydrography and Transportation Data Steward
      CONTACT'S ROLE point of contact
        CONTACT INFORMATION >
          PHONE
            VOICE 360.902.1400
            FAX 360.902.1428
          ADDRESS
            TYPE both
            DELIVERY POINT PO BOX 47012
            DELIVERY POINT 1111 WASHINGTON STREET S.E.
            CITY OLYMPIA
            ADMINISTRATIVE AREA WA
            POSTAL CODE 98504-7012
            COUNTRY US
            E-MAIL ADDRESS fpd@dnr.wa.gov
          Hide Contact information ▲
   Hide Metadata Contacts ▲
 Metadata Maintenance ▶
   MAINTENANCE
     UPDATE FREQUENCY as needed
   Hide Metadata Maintenance ▲
 Thumbnail and Enclosures ▶
   THUMBNAIL
      THUMBNAIL TYPE JPG
   Hide Thumbnail and Enclosures ▲
FGDC Metadata (read-only) ▼
```